

MTS

UNIQUE RUST-CONVERTING AND RUST-PREVENTING TECHNOLOGY

- METALSOL converts rust into a remaining, stabilised and impenetrable layer.
- METALSOL neutralises rust trough a visible reaction.
- METALSOL is economical and cost-cutting.
- METALSOL is an ideal undercoat or final layer in one product and can be applied easily with a brush or with a spray gun.
- METALSOL can be used curatively and preventively.
- METALSOL can be painted or filled after drying (+/- 50 min).
- METALSOL is safe to use.



GENERAL INFORMATION

Rust is a complex molecular combination of unstable iron oxides and hydroxides with a strong hygroscopic character. When removing rust superficially, small rust particles will often remain in the pores of the surface, which will spontaneously reactivate the corrosion process after a while. In order to solve this ancient problem in a professional way, we have developed METALSOL. It is a milky coloured synthetic emulsion that will convert the iron oxides into a tough, black layer after contact with steel and

Technical Information

Composition/Appearance: milky synthetic emulsion based on acrylic copolymer resins and anti-oxidants, which will cure to a half-shiny black fi nish layer after reacting with rust. Viscosity: Ford Cup N°4: 45 sec. (mPa.s) Content of solids: 52% pH: 1.5 Specific gravity: 1.25 kg/dm³ Flashpoint: closed cup > 30°C Inflammability: dry film is flame-retarding Processing temperature: min. 5°C - max. 40°C

APPLICATION AND USE

 preventively and curatively treats rust in all industrial applications: car body shops, restauration works, maintenance and repairs, ...

restauration works, maintenance and repairs,				
Article nr	Name	Content	Shelf Life	Catalog
N119025	Metalsol	51	-	SURFACE PROTECTION AND TREATMENT
N119029	Metalsol	11	-	SURFACE PROTECTION AND
				TREATMENT
Y875000	Trigger Basic	12pcs.	-	TOOLS
Y875001	Trigger Solvent	12pcs.	-	TOOLS
	Resistant			
Y875002	Standard Bottle 1	1 pc.	-	TOOLS



NOTICE

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Novatio is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Novatio products provide, relates only to the standard conditions of sale of this product. In no case Novatio can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.



SURFACE PROTECTION AND TREATMENT WWW.TECH-MASTERS.EU



under the influence of air humidity. The metal organic layer obtained after curing will protect the surface against new rust formation.

METALSOL doesn't only function as a rust converter, but at the same time as ideal undercoat for the application of the most common paint systems. This will protect the surface, provide it with an undercoat, make it free from rust in one action, and will undoubtedly save hourly wages and product costs. METALSOL is water- and solventproof after cure.

Drying times: summer: 15 min.; winter: 45 min. High humidity and low temperatures decelerate drying. Use an IR-lamp or hot air circulation to accelerate drying.

Salt spray test: ASTM B117 resistance > 5000 h. Temperature resistance: -60°C to +150°C. Shelf life: 12 months, keep dry, cool and frost-proof. Safety measures: consult the Safety Data Sheet.