#### **TECH-MASTERS Trading GmbH** Perfektastraße 55. A-1230 Wien Tel: +43 (0)1 / 867 29 07 office@tech-masters.com www.tech-masters.eu

## CLS

### **POWERFUL AND FAST-DRYING CLEANER AND** DEGREASER

- · Excellent for applications where a completely dry and clean surface is crucial
- · Easy cleaning also in hardly reachable areas
- · Cleans and degreases immediately
- · Can safely be used on all metals
- Quick drying
- Leaves no residue
- After one minute surfaces can be painted
- Recommended as cleaner when using adhesives, lacquers, tapes ...
- Can be used in any angle 360°C



#### **General Information**

CLEAN SPRAY is the ideal cleaner and degreaser for delicate applications, especially where a completely dry and clean surface is crucial. CLEAN SPRAY removes excess fluids, oils and dirt and leaves a completely dry surface. Thanks to its jet spray, even hardly reachable areas

#### **Technical Information**

Aggregate State: Aerosol Colour: colourless

- Odour: characteristic
- Melting point: 0 °C
- Initial boiling point and boiling range: -57 95 °C
- Flash point: -20 °C
- Upper/lower flammability or explosive limits: 1,1 13 %

#### **Application and Use**

- USE:
- Shake can well before use.
- Spray a sufficient amount of CLEAN SPRAY on the parts to be cleaned and let it sit for a few seconds.
- If necessary, wipe clean with an absorbing cloth.
- In case of extensive carbon contamination repeat the process.
- Do not use on rubber, plastics or painted parts.
- Make sure there is sufficient ventilation when using the product.

# **CLEAN SPRAY**

#### can easily be cleaned.

CLEAN SPRAY can safely be used metal, glass, ceramics and textiles. Unlike most thinners, CLEAN SPRAY leaves no residues and can simple be wiped off after application. On stubborn soiling, allow CLEAN SPRAY to act and if necessary spray again.

Vapour pressure: 19000 Pa (20 °C)				
Density: 0,724 kg/L (20 °C)				
Water solubility: practically insoluble				
Dynamic viscosity: 1 mPa* s (20 °C)				
Kinematic viscosity: 1 mm <sup>2</sup> /s (40 °C)				
Storage: Store in a cool and dry place at temperatures				
between +5°C and +25°C				
Shelf life: 72 months in unopened packaging				

#### APPLICATION:

- Ideal for the use in all sectors of industry, craft repair and assembly CLEAN SPRAY is also effective on automotive parts like brakes (drum and disc brakes), clutches (clutch lining and components), engine components, sensors, - Safe use on materials like metal, glass, ceramics, textiles,...

Article nr	Name	Content	Shelf Life	Catalog
T471001	Clean Spray	500ml	see imprint + 36 months	CLEANERS AND
				DEGREASERS









#### Notice

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Tech-Masters is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Tech-Masters products provide, relates only to the standard conditions of sale of this product. In no case Tech-Masters can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.



**CLEANERS AND DEGREASERS** WWW.TECH-MASTERS.EU