

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 1 / 13
Replaced revision:5 (Dated 04/03/2020)

EN



Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name **ULTRA CLEANER**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use **Alkaline decarbonising degreaser**

Identified Uses	Industrial	Professional	Consumer
INDUSTRIAL DECARBONIZER	✓	-	-

1.3. Details of the supplier of the safety data sheet

Name **TECHNIQUA HANDELS GmbH**
Full address **Hartleitnerstraße 3**
District and Country **A-4653 Eberstalzell**
Tel: **+43 (0) 7241 213 79**
E-Mail: **office@techniqua.at**

1.4. Emergency telephone number

For urgent inquiries refer to

Poisoning Information Centre (VIZ), Stubenring 6, A-1010 Vienna, Emergency call
0-24 hrs: +43 1 406 43 43, Office hours: Monday to Friday, 8 to 16 hrs, Tel.: +43 1 406 68 98

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Reproductive toxicity, category 2	H361d	Suspected of damaging the unborn child.
Skin corrosion, category 1A	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: **Danger**

Hazard statements:

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 2 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 2. Hazards identification ... / >>

H361d Suspected of damaging the unborn child.
H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust / fume / gas / mist / vapours / spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor / . . .
P264 Wash the skin thoroughly after use.

Contains: Diethylenetriaminepentaaceticacid pentasodium salt
Potassium hydroxide
Sodium hydroxide
Tripotassium phosphate

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% amphoteric surfactants, non-ionic surfactants
5% or over but less than 15% phosphates, EDTA (ethylenediaminetetraacetic acid)

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
Tripotassium phosphate		
CAS	7778-53-2 1 ≤ x < 9	Eye Dam. 1 H318, STOT SE 3 H335
EC	231-907-1	
INDEX		
Reg. no.	01-2119971078-30-XXXX	
Diethylenetriaminepentaaceticacid pentasodium salt		
CAS	140-01-2 1 ≤ x < 9	Repr. 2 H361d, Acute Tox. 4 H332, STOT RE 2 H373
EC	205-391-3	
INDEX		
Reg. no.	01-2119474445-33-XXXX	
Sodium cumenesulfonate		
CAS	15763-76-5 1 ≤ x < 9	Eye Irrit. 2 H319
EC	239-854-6	
INDEX		
Reg. no.	01-2119489411-37-XXXX	
Silicic acid, potassium salt		
CAS	1312-76-1 1 ≤ x < 5	Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335
EC	215-199-1	
INDEX		
Reg. no.	01-2119448725-31-XXXX	
Potassium hydroxide		
CAS	1310-58-3 0 ≤ x < 2	Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1A H314, Eye Dam. 1 H318
EC	215-181-3	
INDEX	019-002-00-8	
Reg. no.	01-2119487136-33-XXXX	

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 3 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 3. Composition/information on ingredients ... / >>

Sodium hydroxide

CAS 1310-73-2 0,2 ≤ x < 0,25 Skin Corr. 1A H314, Eye Dam. 1 H318
EC 215-185-5
INDEX 011-002-00-6
Reg. no. 01-2119457892-27-XXXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 4 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 6. Accidental release measures ... / >>

the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. In order to avoid the risk of fires and explosions, never use compressed air when handling. Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Avoid leakage of the product into the environment. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Keep the product in clearly labelled containers. Keep containers well sealed. Store in a ventilated and dry place, far away from sources of ignition. Avoid violent blows. Avoid overheating. Avoid contact with water.

Storage class TRGS 510 (Germany): 10

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

AUS	Österreich	Gesamte Rechtsvorschrift für Grenzwerteverordnung 2018, Fassung vom 17.10.2018
CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail en Suisse: valeurs VME/VLE. Version Mars 2018 (SUVA)
DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
ROU	România	HOTĂRÂRE nr. 584 din 2 august 2018 pentru modificarea Hotărârii Guvernului nr. 1.218/2006 privind stabilirea cerințelor minime de securitate și sănătate în muncă pentru asigurarea protecției lucrătorilor împotriva riscurilor legate de prezența agenților chimici
EU	OEL EU	Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 5 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 8. Exposure controls/personal protection ... / >>

Sodium cumenesulfonate

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,23	mg/l
Normal value in marine water	23	mg/l
Normal value for fresh water sediment	862	mg/kg/d
Normal value for marine water sediment	862	mg/kg/d
Normal value for water, intermittent release	2,3	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	37	mg/kg/d

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				3,8 mg/kg/d				
Inhalation				26.9 mg/kg				6.6 mg/kg
Skin				136,25 mg/kg/d				68,1 mg/kg/d

Diethylenetriaminepentaaceticacid pentasodium salt

Predicted no-effect concentration - PNEC

Normal value in fresh water	6,4	mg/l
Normal value in marine water	0,64	mg/l
Normal value for fresh water sediment	23	mg/kg
Normal value for marine water sediment	2,3	mg/kg
Normal value for water, intermittent release	3,1	mg/l
Normal value of STP microorganisms	51	mg/l
Normal value for the terrestrial compartment	0,853	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				2,3 mg/kg/d				
Inhalation	1,2		0,6	2,1 mg/m3	2,5 mg/m3		1,5	5,7 mg/m3
Skin				11718 mg/kg bw/d				11718 mg/kg bw/d

Silicic acid, potassium salt

Predicted no-effect concentration - PNEC

Normal value in fresh water	7,5	mg/l
Normal value in marine water	1	mg/l
Normal value for water, intermittent release	7,5	mg/l
Normal value of STP microorganisms	348	mg/l

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,74 mg/kg/d				
Inhalation				1,38 mg/m3 4h				5,61 mg/m3 4h
Skin				0,74 mg/kg/d				1,49 mg/kg/d

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 6 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 8. Exposure controls/personal protection ... / >>

Potassium hydroxide

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	

MAK DEU 2

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation			1				1	
			mg/m3 4h				mg/m3 4h	

Sodium hydroxide

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	

MAK AUS 2 4
MAK CHE 2 2
VLA ESP 2
VLEP FRA 2
NDS/NDSch POL 0,5 1
TLV ROU 1 3
OEL EU 2 (C)

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation			1				1	
			mg/m3 4h				mg/m3 4h	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 7 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	clear liquid	
Colour	yellow	
Odour	Not available	
Odour threshold	Not available	
pH	12	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	93 °C	
	>	Reason for missing data: No flammable ingredients are contained in the formula
Evaporation rate	Not available	
Flammability (solid, gas)	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	1,2	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	Not available	
Oxidising properties	Not available	

9.2. Other information

VOC (Directive 2010/75/EC) : 6,00 % - 72,00 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

The product can decompose and/or react violently.

10.2. Chemical stability

See previous paragraph.

10.3. Possibility of hazardous reactions

See paragraph 10.1.

10.4. Conditions to avoid

As the product decomposes even at ambient temperature, it must be stored and used at a controlled temperature. Avoid violent blows.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 8 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Potassium hydroxide

If ingested it causes severe corrosion of the oral cavity and pharynx with risk of perforation of the esophagus and stomach

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:	> 20 mg/l
LD50 (Oral) of the mixture:	>2000 mg/kg
LD50 (Dermal) of the mixture:	Not classified (no significant component)

Potassium hydroxide

LD50 (Oral)	333 mg/kg Rat
-------------	---------------

Diethylenetriaminepentaaceticacid pentasodium salt

LD50 (Oral)	> 2000 mg/kg Rat
LD50 (Dermal)	> 2000 mg/kg Rabbit

Silicic acid, potassium salt

LD50 (Oral)	> 5000 mg/kg Rat
LD50 (Dermal)	> 5000 mg/kg Rat
LC50 (Inhalation)	> 2,06 mg/l/4h Rat

Sodium cumenesulfonate

LD50 (Oral)	> 7000 mg/kg Rat
LD50 (Dermal)	> 2000 mg/kg Rabbit
LC50 (Inhalation)	> 6410 mg/l/4h Rat

Sodium hydroxide

According to the CLP regulation, annex VI, table 3.1, the concentration limit for corrosivity of NaOH is considered equal to 2%. Until the most recent ATP, this has not been changed. Therefore, 2% is brought to the characterization of the risk as a concentration limit for corrosivity.

SKIN CORROSION / IRRITATION

Corrosive for the skin

Classification according to the experimental Ph value

Diethylenetriaminepentaaceticacid pentasodium salt

Prolonged contact can cause moderate skin irritation with local redness. It can cause a more severe reaction if the skin is abraded (scratched or cut).

Potassium hydroxide

corrosive to the skin

SERIOUS EYE DAMAGE / IRRITATION

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 9 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 11. Toxicological information ... / >>

Causes serious eye damage

Diethylenetriaminepentaaceticacid pentasodium salt
May cause moderate eye irritation. May cause corneal injury.

Potassium hydroxide
Strongly corrosive

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Suspected of damaging the unborn child

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Potassium hydroxide LC50 - for Fish	80 mg/l/96h <i>Gambusia affinis</i>
Sodium hydroxide LC50 - for Fish EC50 - for Crustacea Chronic NOEC for Fish	125 mg/l/96h <i>Gambusia affinis</i> 40,4 mg/l/48h <i>Ceriodaphnia dubia</i> 56 mg/l <i>Poecilia reticulata</i>
Diethylenetriaminepentaaceticacid pentasodium salt LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Algae / Aquatic Plants	854 mg/l/96h <i>Oncorhynchus mykiss</i> 310 mg/l/48h <i>Daphnia carinata</i> > 100 mg/l/72h <i>Scenedesmus subspicatus</i> 100 mg/l <i>Melanotaenia fluviatilis</i> 600 mg/l <i>Scenedesmus subspicatus</i>
Silicic acid, potassium salt LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants	> 146 mg/l/48h <i>Leuciscus idus melanotus</i> > 146 mg/l/24h <i>Daphnia magna</i> 207 mg/l/72h <i>Scenedesmus subspicatus</i>
Sodium cumenesulfonate LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants	> 1000 mg/l/96h 1000 mg/l/48h <i>Daphnia magna</i> 230 mg/l/72h

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 10 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 12. Ecological information ... / >>

12.2. Persistence and degradability

Silicic acid, potassium salt

As inorganic substances and in consideration of their chemical structure, soluble silicates are not susceptible to biodegradation.

Sodium hydroxide

According to REACH, the study does not need to be conducted if the substance is inorganic (Annex VII, adaptation column 2).

Potassium hydroxide

Degradability: information not available

Diethylenetriaminepentaaceticacid pentasodium salt

NOT rapidly degradable

Silicic acid, potassium salt

Degradability: information not available

Sodium cumenesulfonate

Rapidly degradable 94%, OECD Guideline 301 B

12.3. Bioaccumulative potential

Sodium hydroxide

According to the REACH regulation, the study does not need to be conducted if the substance has a low bioaccumulation potential (Annex IX, adaptation column 2).

12.4. Mobility in soil

Silicic acid, potassium salt

Due to a strong dependence on pH and concentration leading to a dynamic balance of polymerization-depolymerization with speciation in a variety of mono-, oligo- and polymeric anions and amorphous silica, the calculations on the distribution in various environmental compartments are not feasible (HERA 2005).

Sodium hydroxide

According to REACH, an adsorption / desorption study is not required if, based on the physico-chemical properties, the substance can be expected to have a low adsorption potential (Annex VIII, column 2 adaptation).

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, IATA: 3266

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 11 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 14. Transport information ... / >>

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)
IMDG: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)
IATA: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8



IMDG: Class: 8 Label: 8



IATA: Class: 8 Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special Provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Pass.:	Maximum quantity: 5 L	Packaging instructions: 852
	Special Instructions:	A3, A803	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: _____ None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product
Point 3

Substances in Candidate List (Art. 59 REACH) _____

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH) _____

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: _____

None

Substances subject to the Rotterdam Convention: _____

None

Substances subject to the Stockholm Convention: _____

None

TECHNIQUA

ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 12 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 15. Regulatory information ... / >>

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 3: Severe hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Repr. 2	Reproductive toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1A	Skin corrosion, category 1A
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
H290	May be corrosive to metals.
H361d	Suspected of damaging the unborn child.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds

TECHNIQUA ULTRA CLEANER

Revision nr.6
Dated 06/03/2020
Printed on 24/03/2020
Page n. 13 / 13
Replaced revision:5 (Dated 04/03/2020)

EN

SECTION 16. Other information ... / >>

- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
16. Regulation (EU) 2019/521 (XII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review:

The following sections were modified:

01 / 16.