

UNB

RUST BLASTER & PENETRATING OIL

- Powerful and fast rust blaster
- Strong and fast penetrating performance
- Long-lasting lubricating effect due to the addition of MoS₂
- Allows a precise lubrication of all fine mechanisms
- Protects against new rust
- Unblocks rusted parts
- Multifunctional penetrating oil for universal use
- Non aggressive to most materials



UNBLOCK

General Information

UNBLOCK is a very fast and powerful rust blasting penetrating oil which offers a long-lasting lubricating effect due to the addition of MoS₂. Because of the high-performance oil, UNBLOCK reacts very quickly and is safe and economic in use. Due to the low surface tension,

the high penetration force offers the possibility to release even highly seized parts on the most difficult places. It loosens and lubricates rusted bolts, nuts, screws and other parts. UNBLOCK offers a protective film after use and is non-aggressive to most materials.

Technical Information


Form: aerosol
 Odour: characteristic
 Initial boiling point: -44,5°C
 Flash point: -97°C
 Ignition temperature: > 220°C
 Lower explosion limit: 0,6 Vol%
 Upper explosion limit: 10,9 Vol%

Kinematic viscosity (at 40°C): ≤ 20,5 mm²/s
 Vapour pressure (at 20°C): 4000 hPa
 Density (at 20°C): 0,707 g/cm³
 Application temperature: 10°C - 35°C
 Shelf life: 12 months
 Storage: Cool (10°C - 20°C) and dry
 Safety measures: consult the Safety Data Sheet.

Application and Use

- APPLICATION:
 - Loosens rusted screws, nuts, bolts, etc.
 - Penetrates easily corroded, rusted and frozen parts, e.g. screws, bolts and nuts, pipe fittings and joints
 - Non-aggressive to most materials
 - ! Please test the product in an inconspicuous place !
 - Leaves a protective film
- USE:
 - Shake before use
 - Use UNBLOCK at room temperature
 - Spray from a short distance on the parts to disassemble
 - Give the product time to act
 - Repeat if necessary

Article nr	Name	Content	Shelf Life	Catalog
T317001	Unblock	500ml	see imprint + 36 months	LUBRICANTS



Notice

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Tech-Masters is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Tech-Masters products provide, relates only to the standard conditions of sale of this product. In no case Tech-Masters can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.



LUBRICANTS

WWW.TECH-MASTERS.EU

