

CAT

HIGH QUALITY, POLYAMIDE CABLE TIES FOR QUICK AND RELIABLE BOUNDLING OF CABLES AND PIPES

- State: solid
- Odour: odourless
- Material: Polyamide 6.6, UL approved UL94
- Max. operating temperature: 85°C
- Low- smoke and halogen-free
- Suitable for various industry
- Save time and make effective for installation



Notice

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Tech-Masters is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Tech-Masters products provide, relates only to the standard conditions of sale of this product. In no case Tech-Masters can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.

CABLE TIES

General Information

CABLE TIES are high-quality cable ties made of polyamide in the colors black and natural. CABLE TIES are UL94 HB tested and have high abrasion resistance and dimensional stability. The high tensile strength and elasticity is tested and certified by TÜV-Rheinland, Germany. CABLE TIES are temperature-resistant up to 85°C, halogen-free and mold-inhibiting.

They also exhibit very high resistance to oils, greases, lubricants and fuels, as well as aliphatic and aromatic solvents. CABLE TIES in the color black, are also especially suitable for outdoor use. CABLE TIES are resistant to environmental influences and have very good UV and aging resistance.

Technical Information

Material: polyamide 6.6
 Color: black and natural

Flammability: UL 94 HB
 Temperature resistance: -40°C to + 85°C (short-term 105°C)

Material: polyamide 6.6W UV resistant
 Color: black

Melting point: 250°C
 Tensile strength min.: 162 N (2.5x140)
 Tensile strength max.: 1658 N (12.5x750)

Article nr	Name	Content	Shelf Life	Catalog
T825100	Cable Ties black Assortment Case	725pcs.	-	TOOLS
T825101	Cable Ties nature Assortment Case	725pcs.	-	TOOLS
Y825001	Cable Ties natural 2,5/100	1pc	-	TOOLS
Y825002	Cable Ties natural 2,5/140	1pc	-	TOOLS
Y825003	Cable Ties natural 2,5/200	1pc	-	TOOLS
Y825004	Cable Ties natural 3,6/140	1pc	-	TOOLS
Y825005	Cable Ties natural 3,6/200	1pc	-	TOOLS
Y825006	Cable Ties natural 3,6/280	1pc	-	TOOLS
Y825007	Cable Ties natural 4,8/200	1pc	-	TOOLS
Y825008	Cable Ties natural 4,8/240	1pc	-	TOOLS
Y825009	Cable Ties natural 4,8/280	1pc	-	TOOLS
Y825010	Cable Ties natural 4,8/360	1pc	-	TOOLS
Y825011	Cable Ties natural 7,8/200	1pc	-	TOOLS
Y825012	Cable Ties natural 7,8/300	1pc	-	TOOLS
Y825013	Cable Ties natural 7,8/360	1pc	-	TOOLS
Y825014	Cable Ties natural 7,8/540	1pc	-	TOOLS
Y825015	Cable Ties natural 7,8/750	1pc	-	TOOLS
Y825016	Cable Ties natural 12,5/750	1pc	-	TOOLS
Y825017	Cable Ties natural 12,5/1000	1pc	-	TOOLS
Y825021	Cable Ties black 2,5/100	1pc	-	TOOLS
Y825022	Cable Ties black 2,5/140	1pc	-	TOOLS
Y825023	Cable Ties black 2,5/200	1pc	-	TOOLS
Y825024	Cable Ties black 3,6/140	1pc	-	TOOLS
Y825025	Cable Ties black 3,6/200	1pc	-	TOOLS
Y825026	Cable Ties black 3,6/280	1pc	-	TOOLS
Y825027	Cable Ties black 4,8/200	1pc	-	TOOLS
Y825028	Cable Ties black 4,8/240	1pc	-	TOOLS
Y825029	Cable Ties black 4,8/280	1pc	-	TOOLS
Y825030	Cable Ties black 4,8/360	1pc	-	TOOLS
Y825031	Cable Ties black 7,8/200	1pc	-	TOOLS
Y825032	Cable Ties black 7,8/300	1pc	-	TOOLS



Cable Ties black
7,8/540

Cable Ties black
7,8/750

Cable Ties black
12,5/750

Cable Ties black
12,5/1000

Cable Ties
uv-resistant
2,5/140

Cable Ties
uv-resistant
2,5/200

Cable Ties
uv-resistant
3,6/200

Cable Ties
uv-resistant
3,6/290

Cable Ties
uv-resistant
4,8/200

Cable Ties
uv-resistant
4,8/280

Cable Ties
uv-resistant
7,6/360

Cable Ties
uv-resistant
7,5/750

