TECH-MASTERS Trading GmbH Perfektastraße 55, A-1230 Wien Tel: +43 (0)1 / 867 29 07 office@tech-masters.com www.tech-masters.eu

TCG

CAULKING GUN 26:1

- · Aluminum alloy handle / steel trigger
- Twin heat treatment steel push plates
- Heat treatment chrome plated push rod
- 1.5mm steel zinc plated push piston Patented 360° rotary type of steel
- riveted carriage
- Built-in cartridge puncture tool/ladder hook pull



General Information

CAULKING GUN has a patented adjustable screw to cut thrust gaps. Due to its high-performance drive it is easy on hand. CAULKING GUN features a patented wave

Technical Information

Mechanical thrust ratio: 26:1 Distance per Stroke: 3mm Maximum force: 350kgf (3.5kN)

Application and Use

- How to insert a cartridge correctly:
 Remove the cap from the cartridge and put on the tip.
- Cut the plastic tip of the cartridge diagonally with a cutter. The width of the spout should roughly correspond to the width of the desired
- adhesive or joint track. - Relax the cartridge gun and pull the piston of the gun backwards.
- Insert the cartridge and release the tensioned piston.

CAULKING GUN

spacer which ensures stable and smooth rotation of the carriage. CAULKING GUN is suitable for cold weather and high viscosity materials.

Cartridge capacity: 310ml (10.5oz) Weight: 0.9kg (1.98 lbs) Carriage Length: 243mm (9.57 in)

- How to replace the cartridge:
 Unclamp the cartridge gun and pull the piston back.
 - Remove the used or empty cartridge from the cartridge gun.

- Insert a new cartridge into the cartridge gun with the piston retracted.

Article nr	Name	Content	Cection	
T569000	TMT Caulking Gun 26:1	1 pc.	TOOLS	
T569001	Nozzle 360°	6 pcs.	TOOLS	

Notice

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Tech-Masters is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Tech-Masters products provide, relates only to the standard conditions of sale of this product. In no case Tech-Masters can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.





WWW.TECH-MASTERS.EU

