

FFA

AKTIVATOR FOR FAST FIX GLUES

- Promotes and accelerates the curing time of cyanoacrylate glues
- Makes adhesion on porous materials such as wood possible
- Increases the bonding strength
- To be used in combination with Fast Fix, Fast Fix Flexible and Fast Fix 2K



FAST FIX AKTIVATOR

General Information

FAST FIX AKTIVATOR is an activator for cyanoacrylate glues which promotes and fastens the curing time. FAST FIX AKTIVATOR dries out quickly and increases the bonding strength.

FAST FIX AKTIVATOR is resistant to solvents, oils, benzene, temperature fluctuations and atmospheric conditions.

FAST FIX AKTIVATOR joints have a high tensile shear strength and show no shrinkage.

Technical Information

Physical state: Aerosol
 Colour: According to product designation
 Odour: characteristic
 Initial boiling point and boiling range: -44.5 °C
 Flash point: -97°C
 Auto-ignition temperature: > 200 °C
 Upper/lower flammability or explosive limits: 0.8 - 10.9 Vol-%
 Vapour pressure (at 20°C): 3,100 hPa

Density (at 20°C): 0.638 g/cm³
 Organic solvents: 99,8 %
 Pressure (at 20°C): 2 bar
 Kinematic viscosity (at 40 °C): ≤ 20.5 mm²/s
 Delivery rate (at 20°C): 0,5 g/sec
 Application temperature: 10°C - 35°C
 Storage: cool and dry
 Shelf life: 12 months

Application and Use

- FAST FIX AKTIVATOR provides an exceptionally strong bond between almost all kinds of materials, with the exception of polyethylene, polypropylene and fluorine containing materials. Materials which can be bonded with FAST FIX AKTIVATOR: ABS, aluminium, bakelite, bronze, buthyl, celluloid, chloroprene, chrome, delrin, glass, copper, natural rubber, NBR, neoprene, nitril, nylon, phenol, polycarbonate, polystyrene, porcelain, hard pvc, stainless steel.
- On porous materials we recommend using FAST FIX AKTIVATOR.

Article nr	Name	Content	Shelf Life	Catalog
T501012	Fast Fix Aktivator 150ml	150ml	see imprint + 36 months	ADHESIVES AND SEALANTS

Notice

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Tech-Masters is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Tech-Masters products provide, relates only to the standard conditions of sale of this product. In no case Tech-Masters can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.

