

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1

Page 1/11



Bacto Clean Liquid 500ml

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Bacto Clean Liquid 500ml

Article No.:

T463050

UFI:

FMCM-8GJ2-03K9-WJ99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

skin disinfection, hand disinfection

1.3. Details of the supplier of the safety data sheet

Supplier:

Techniqua Handels GmbH

Hartleitnerstraße 3

4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: office@techniqua.at

Supplier:

TECH-MASTERS Austria GmbH

Kallham 7

4720 Kallham

Austria

Telephone: +43 7733 20090

Telefax: +43 7733 20092

E-mail: info@tech-masters.at

Website: www.tech-masters.eu/at

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids (<i>Flam. Liq. 2</i>)	H225: Highly flammable liquid and vapour.	
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	
STOT-single exposure (<i>STOT SE 3</i>)	H336: May cause drowsiness or dizziness.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark



GHS02

Flame

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 2/11

Bacto Clean Liquid 500ml

Signal word: Danger

Hazard statements for physical hazards

H225 Highly flammable liquid and vapour.

Hazard statements for health hazards

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Supplemental hazard information: none

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary statements Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Precautionary statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

Alcoholic solution

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 67-63-0 EC No.: 200-661-7 Index No.: 603-117-00-0 REACH No.: 01-2119457558-25	propan-2-ol Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger	50 - 100 weight-%
CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH No.: 01-2119457610-43	ethanol Flam. Liq. 2 (H225) Danger	≥ 2.5 - < 10 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove/Take off immediately all contaminated clothing.

Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

In case of skin contact:

Wash with plenty of soap and water. Consult a doctor if skin irritation persists.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 3/11

Bacto Clean Liquid 500ml

After eye contact:

Rinse opened eye for several minutes under running water. Consult a doctor if symptoms persist. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Rinse mouth. Drink plenty of water. If swallowed Seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Headache Dizziness Unconsciousness

4.3. Indication of any immediate medical attention and special treatment needed

May cause drowsiness or dizziness.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂) Extinguishing powder Water spray jet Fight larger fires with water spray or alcohol-resistant foam.

Unsuitable extinguishing media:

Water in full jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon monoxide (CO) Carbon dioxide (CO₂) May form explosive gas-air mixtures.

5.3. Advice for firefighters

Protective equipment Wear self-contained breathing apparatus.

5.4. Additional information

Cool endangered containers with water spray. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations. If possible, remove containers from the danger zone.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Provide adequate ventilation. Remove all sources of ignition. Avoid contact with eyes. Use respiratory protection when exposed to vapours/dust/aerosol.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Suppress gases/vapours/mists with water spray jet. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information:

Provide adequate ventilation. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Dispose of the ingested material in accordance with the regulations.

6.4. Reference to other sections

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1

Page 4/11



Bacto Clean Liquid 500ml

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Ensure good room ventilation also in the floor area (vapours are heavier than air). Use only in well-ventilated areas. Avoid contact with eyes. Avoid prolonged/repeated skin contact. Do not breathe gas/fumes/vapour/spray. Ensure compliance with the occupational exposure limit value(s) (OEL) and/or other limit values

Fire prevent measures:

Protect from heat and direct sunlight.. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Vapours can form explosive mixtures with air. Flammable mixtures may form in the empty container

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep/Store only in original container. Vorschriften zur Lagerung brennbare Flüssigkeiten beachten.. Observe water regulations.

Hints on storage assembly:

Keep away from food, drink and animal feed. Store separately from oxidising agent.

Storage class (TRGS 510, Germany): 3 - Flammable liquids

Further information on storage conditions:

Store in a well-ventilated place. Store in a cool, dry place in well-sealed containers. Protect from heat and direct sunlight. Store and transport upright. Betriebssicherheitsverordnung (BetrSichV) flammable liquids

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	② 800 ppm (2,000 mg/m ³) ⑤ (max. 4x15 min./Schicht)
MAK (AT)	propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m ³)
MAK (AT)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6	① 1,000 ppm (1,900 mg/m ³)
MAK (AT)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6	② 2,000 ppm (3,800 mg/m ³) ⑤ (max. 3x60 min./Schicht, Momentanwert)

8.1.2. Biological limit values

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 5/11

Bacto Clean Liquid 500ml

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	500 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	89 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	888 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	319 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	26 mg/kg bw/ day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, freshwater
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, marine water
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	2,251 mg/L	① PNEC sewage treatment plant
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	552 mg/kg	① PNEC sediment, freshwater
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	552 mg/kg	① PNEC sediment, marine water
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	28 mg/kg	① PNEC soil
propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Safety goggles with side protection Eye glasses EN 166

Skin protection:

Use protective gloves in case of prolonged contact. To avoid skin problems, gloves should be worn only as much as necessary. Check the tightness of the glove before each re-use. The glove material must be impermeable and resistant to the product / substance / preparation. Due to the lack of tests, no recommendation can be given for the glove material for the product / the preparation / the chemical mixture Selection of glove material considering breakthrough times, permeation rates and degradation. Glove material: The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 6/11

Bacto Clean Liquid 500ml

Permeation time (maximum wear duration): The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

Body protection: Protective clothing Personal protective equipment must be selected depending on the activity and possible exposure.

Respiratory protection:

Respiratory protection in case of insufficient ventilation. No special measures are normally required if the occupational exposure limit value(s) (OEL) and other limit values are safely complied with at all times.

Recommended filter device for short-term use: Gas filter device according to EN 14387 type A (organic gas/vapours, boiling point > 65 °C) - identification colour brown

Other protection measures:

General protective and hygienic measures: Keep away from food, drink and animal feed. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Avoid contact with eyes. Avoid prolonged/repeated skin contact.. Do not inhale gases/vapours/aerosols. Do not eat, drink or smoke when using this product.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: colourless

Odour: Isopropanol

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 78 °C		
Flash point	< 23 °C		
Evaporation rate	No data available		
Auto-ignition temperature	400 °C		
Upper/lower flammability or explosive limits	2 – 15 Vol-%		② Not oxidising.
Vapour pressure	48 hPa	20 °C	
Vapour density	No data available		
Density	0.87 g/cm ³		
Bulk density	not applicable		
Water solubility			② completely miscible
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

See section 10.3

10.2. Chemical stability

Thermal decomposition / Conditions to avoid Keep away from sources of ignition - No smoking. Take action to prevent static discharges. none Zersetzung BEI bestimmungsgemäßer Lagerung und Handling

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 7/11

Bacto Clean Liquid 500ml

10.3. Possibility of hazardous reactions

development of Gases/vapours, flammable. Flammable/explosive vapour-air mixtures may be formed. Uncleaned empty containers may contain product gases which form explosive mixtures with air.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

strong oxidants

10.6. Hazardous decomposition products

Carbon monoxide (CO) Carbon dioxide (CO₂)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7
LD₅₀ oral: >2,000 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rat)
LC₅₀ Acute inhalation toxicity (gas): >25 ppmV (Rat)
LC₅₀ Acute inhalation toxicity (vapour): >20 mg/L (Rat)
ethanol CAS No.: 64-17-5 EC No.: 200-578-6
ATE (oral): 10,470 mg/kg
LD₅₀ oral: >2,000 mg/kg (Rat) IUCLID
LD₅₀ dermal: >2,000 mg/kg (Rat)
LC₅₀ Acute inhalation toxicity (vapour): >20 mg/L (Rat) RTECS

Acute oral toxicity:

No data available

Acute dermal toxicity:

No data available

Acute inhalation toxicity:

No data available

Skin corrosion/irritation:

Prolonged or repeated skin contact can lead to skin defatting and consequently to skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause drowsiness or dizziness.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

Based on the calculation method of Regulation (EC) No 1272/2008 (CLP/GHS), the product presents the following hazards: Eye Irrit. 2

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 8/11

Bacto Clean Liquid 500ml

11.2. Information on other hazards

Endocrine disrupting properties:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7
LC₅₀ : 9,640 mg/L 4 d (fish, Pimephales promelas)
LC₅₀ : >1,000 mg/L 4 d (fish)
EC₅₀ : >100 mg/L (Algae/water plant)
EC₅₀ : >100 mg/L 2 d (crustaceans, Daphnia magna)
EC₅₀ : >1,000 mg/L 2 d (crustaceans)
ErC₅₀ : >100 mg/L 3 d (Algae/water plant, Desmodemus subspicatus)
LOEC : 1,000 mg/L (Algae/water plant, Algae)
LC₅₀ : 8,970 mg/L 2 d (fish, Leuciscus idus (golden orfe))
ethanol CAS No.: 64-17-5 EC No.: 200-578-6
LC₅₀ : >1,000 mg/L 4 d (fish)
LC₅₀ : =11,200 mg/L 1 d
EC₅₀ : >1,000 mg/L 2 d (crustaceans, Daphnia magna)
EC₅₀ : =275 mg/L 3 d
NOEC : =9.6 mg/L
ErC₅₀ : >100 mg/L
LC₅₀ : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe))
EC₅₀ : 6,500 mg/L (Algae/water plant, Pseudomonas putida)

Additional ecotoxicological information:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. water hazard class 1 Self-classification according to AWSV (substance).

12.2. Persistence and degradability

propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7
Biodegradation: Yes, rapidly
Remark: Readily biodegradable (according to OECD criteria).
ethanol CAS No.: 64-17-5 EC No.: 200-578-6
Biodegradation: Yes, rapidly
Remark: Readily biodegradable (according to OECD criteria).

Biodegradation:

Readily biodegradable (according to OECD criteria).

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7
Log K_{ow} : 0.05
ethanol CAS No.: 64-17-5 EC No.: 200-578-6
Log K_{ow} : -0.31

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 9/11

Bacto Clean Liquid 500ml

12.5. Results of PBT and vPvB assessment

propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7
Results of PBT and vPvB assessment: —
ethanol CAS No.: 64-17-5 EC No.: 200-578-6
Results of PBT and vPvB assessment: —

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Must not be disposed of together with household waste. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Remark:

The waste code number according to the List of Wastes Ordinance (AVV) depends on the waste producer and can therefore be different for a product. The waste code number must therefore be determined separately by each waste producer.

Waste code packaging

Remark:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.




Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

Other disposal recommendations:

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 1987	No dangerous good in sense of these transport regulations.	UN 1987	UN 1987
14.2. UN proper shipping name			
UN1987 ALKOHOLE, N.A.G. (ISOPROPANOL), SONDERVORSCHRIFT 640D	No dangerous good in sense of these transport regulations.	ALCOHOLS, N.O.S. (ISOPROPANOL)	ALCOHOLS, N.O.S. (ISOPROPANOL)
14.3. Transport hazard class(es)			
 3	not relevant	 3	 3
14.4. Packing group			
II	not relevant	II	II

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 10/11

Bacto Clean Liquid 500ml

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.5. Environmental hazards			
No data available	not relevant	No data available	No data available
14.6. Special precautions for user			
Special Provisions: Achtung: Entzündbare flüssige Stoffe Limited quantity (LQ): 1L Hazard identification number (Kemler No.): 33 Classification code: - Tunnel restriction code: (D/E)	not relevant	Special Provisions: Achtung: Entzündbare flüssige Stoffe Limited quantity (LQ): 1L EmS-No.: F-E,S-D	Special Provisions: Achtung: Entzündbare flüssige Stoffe

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 66 Vol-%

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Threshold Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
IUCLID	International Uniform Chemical Information Database
KG	body weight
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 8 Nov 2018

Print date: 30 Nov 2023

Version: 1



Page 11/11

Bacto Clean Liquid 500ml

MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OEL	Threshold Limit Value
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
RTECS	Registry of Toxic Effects of Chemical Substances
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
ZNS	central nervous system

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids (<i>Flam. Liq. 2</i>)	H225: Highly flammable liquid and vapour.	
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	
STOT-single exposure (<i>STOT SE 3</i>)	H336: May cause drowsiness or dizziness.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

16.6. Training advice

No data available

16.7. Additional information

No data available