

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2

Page 1/10



Seal Tech Finisher 5l

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Seal Tech Finisher 5l

Article No.:

T579005

UFI:

OWP2-MNGA-340M-03GR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

All-purpose (or multi-purpose) non-abrasive cleaners including degreasing agents (unless otherwise specified in other subcategories of cleaning products)

Relevant identified uses:

Process categories [PROC]

PROC 10: Roller application or brushing

PROC 11: Non industrial spraying

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

Supplier:

TECH-MASTERS Austria GmbH

Gewerbestraße 1

4720 Kallham

Austria

Telephone: +43 7733 20090

Telefax: +43 7733 20092

E-mail: info@tech-masters.at

Website: www.tech-masters.eu/at

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Respiratory or skin sensitisation (Skin Sens. 1) | H317: May cause an allergic skin reaction. | |

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2

Page 2/10



Seal Tech Finisher 5l

Hazard components for labelling:

2-methyl-2H-isothiazol-3-one

Hazard statements for health hazards

| | |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
|------|--------------------------------------|

Supplemental hazard information: none

Precautionary statements Prevention

| | |
|------|--|
| P280 | Wear protective gloves/protective clothing and eye protection/face protection. |
|------|--|

Precautionary statements Response

| | |
|-------------|---|
| P302 + P352 | IF ON SKIN: Wash with plenty of water and soap. |
|-------------|---|

2.3. Other hazards

Other adverse effects:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Additional information:

Labelling for contents according to regulation (EC) No. 648/2004
< 5% anionic surfactants

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|--|--|------------------|
| CAS No.: 68891-38-3 EC No.: 500-234-8 REACH No.: 01-2119488639-16 | Sodium lauryl ether sulphate Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) ⚠ Danger Specific concentration limit (SCL) Eye Dam. 1; H318: $C \geq 10\%$ Eye Irrit. 2; H319: $5\% \leq C < 10\%$ | 1 - < 5 Vol-% |
| CAS No.: 2682-20-4 EC No.: 220-239-6 Index No.: 613-326-00-9 | 2-methyl-2H-isothiazol-3-one Acute Tox. 2 (H330), Acute Tox. 3 (H311, H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314), Skin Sens. 1A (H317) ⚠⚠⚠ Danger EUH071 M-factor (acute): 10 M-factor (chronic): 1 Specific concentration limit (SCL) Skin Sens. 1A; H317: $C \geq 0.0015\%$ | < 0.1 Vol-% |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove contaminated, saturated clothing immediately.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion:

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

Self-protection of the first aider:

Use personal protection equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2



Page 3/10

Seal Tech Finisher 5l

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide (CO₂), Extinguishing powder

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide (CO₂), Carbon monoxide

5.3. Advice for firefighters

Adapt fire extinguishing measures to the surroundings.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Ventilate affected area.

6.1.2. For emergency responders

Personal protection equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Treat the recovered material as prescribed in the section on waste disposal.

Other information:

Collect in closed and suitable containers for disposal. Ventilate affected area.

6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. Do not eat, drink or smoke when using this product. Do not breathe gas/fumes/vapour/spray.

Use only outdoors or in a well-ventilated area.

Fire prevent measures:

No special fire protection measures are necessary.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2



Page 4/10

Seal Tech Finisher 5I

Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed.

Hints on storage assembly:

No special measures are necessary.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

Cleaning agent

GISCODE:

GU 70

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

| Limit value type (country of origin) | Substance name | ① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark |
|--------------------------------------|--|--|
| MAK (AT) | 2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6 | ① 0.05 mg/m ³ ⑤ Sh |

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No further relevant information available.

8.2.2. Personal protection equipment



Eye/face protection:

Wear eye protection/face protection. EN 166

Skin protection:

Hand protection:

Tested protective gloves must be worn EN ISO 374

Suitable material: NBR (Nitrile rubber)

Breakthrough time: >10min

Thickness of the glove material $\geq 0,1$ mm

A list of suitable makes with detailed information on wearing time is available on request.

Diluted application solutions $\leq 1\%$:

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

Body protection:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2



Page 5/10

Seal Tech Finisher 5l

Wear suitable work clothing.

Respiratory protection:

When using the HD method or spraying over large areas: combination filter A1/P2 (EN 143, EN 14387).

Thermal hazards:

No further relevant information available.

Other protection measures:

Wear suitable work clothing.

8.2.3. Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: colourless

Odour: characteristic

Safety relevant basis data

| Parameter | Value | at °C | ① Method ② Remark |
|--|---------------------|-------|----------------------|
| pH | 7.5 - 8 | 20 °C | |
| Melting point | ≈ 0 °C | | |
| Freezing point | ≈ 0 °C | | |
| Initial boiling point and boiling range | ≈ 100 °C | | |
| Flash point | No data available | | |
| Evaporation rate | No data available | | |
| Auto-ignition temperature | No data available | | |
| Upper/lower flammability or explosive limits | No data available | | |
| Vapour pressure | No data available | | |
| Vapour density | No data available | | |
| Density | 1 g/cm ³ | 20 °C | |
| Bulk density | not applicable | | |
| Water solubility | completely miscible | 20 °C | |
| Partition coefficient: n-octanol/water | not applicable | | |
| Dynamic viscosity | < 10 mPa·s | 25 °C | |
| Kinematic viscosity | No data available | | |

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2

Page 6/10



Seal Tech Finisher 5I

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| |
|---|
| Sodium lauryl ether sulphate CAS No.: 68891-38-3 EC No.: 500-234-8 |
| LD₅₀ oral: >2,000 mg/kg (Rat) |
| LD₅₀ dermal: >2,000 mg/kg (Rat) |
| LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L (Rat) |
| 2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6 |
| ATE (inhalation, vapour): 0.5 mg/L |
| ATE (inhalation, dust/mist): 0.05 mg/L |
| LD₅₀ oral: 100 mg/kg (Rat) |
| LD₅₀ dermal: 300 mg/kg (Rat) |

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction. (2-methyl-2H-isothiazol-3-one)

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No further relevant information available.

11.2. Information on other hazards

Endocrine disrupting properties:

None of the ingredients are included.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2

Page 7/10



Seal Tech Finisher 5l

SECTION 12: Ecological information

12.1. Toxicity

| |
|--|
| Sodium lauryl ether sulphate CAS No.: 68891-38-3 EC No.: 500-234-8 |
| LC₅₀ : 7.1 mg/L 4 d (fish) OECD 203 |
| ErC₅₀ : 27.7 mg/L 3 d (Algae/water plant) OECD 201 |
| EC₅₀ : 7.4 mg/L 2 d (crustaceans) OECD 202 |
| NOEC : 1 mg/L (fish, Daphnia magna) OECD 201 |
| NOEC : 0.95 mg/L (Algae/water plant) OECD 201 |
| 2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6 |
| NOEC : 2.38 mg/L (fish, Pimephales promelas (fathead minnow)) |
| NOEC : 0.03 mg/L (Algae/water plant, Pseudokirchneriella subcapitata) |
| NOEC : 0.55 mg/L (crustaceans, Daphnia magna (Big water flea)) |

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

| |
|---|
| Sodium lauryl ether sulphate CAS No.: 68891-38-3 EC No.: 500-234-8 |
| Biodegradation : Yes, rapidly |
| Remark : Readily biodegradable (according to OECD criteria). |
| 2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6 |
| Biodegradation : Yes, slowly |
| Remark : Not readily biodegradable (according to OECD criteria). |

Biodegradation:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF):

No indication of bioaccumulation potential.

Partition coefficient: n-octanol/water:

not applicable

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

| |
|---|
| Sodium lauryl ether sulphate CAS No.: 68891-38-3 EC No.: 500-234-8 |
| Results of PBT and vPvB assessment : — |
| 2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6 |
| Results of PBT and vPvB assessment : — |

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2



Page 8/10

Seal Tech Finisher 5l

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

| | |
|------------|--|
| 07 06 01 * | aqueous washing liquids and mother liquors |
|------------|--|

*: Evidence for disposal must be provided.

Waste code packaging

| | |
|----------|-------------------|
| 15 01 02 | Plastic packaging |
|----------|-------------------|

Waste treatment options

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--|--|--|
| 14.1. UN number or ID number | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.2. UN proper shipping name | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.3. Transport hazard class(es) | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.4. Packing group | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.5. Environmental hazards | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.6. Special precautions for user | | | |
| not relevant | not relevant | not relevant | not relevant |

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Use restriction according to REACH annex XVII, no.: Entry 3, Entry 75

Other regulations (EU):

This product is not assigned to a hazard category.

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

15.3. Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

SECTION 16: Other information

16.1. Indication of changes

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2



Page 9/10

Seal Tech Finisher 5I

16.2. Abbreviations and acronyms

| | |
|------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Classification, Labelling and Packaging |
| DIN | German Institute for Standardization / German Industrial Standard |
| DNEL | derived no-effect level |
| EN | European Standard |
| ES | Exposure scenario |
| EWC | European Waste Catalogue |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| IMO | International Maritime Organization |
| KG | body weight |
| LC ₅₀ | Lethal (fatal) Concentration 50% |
| LD ₅₀ | Lethal (fatal) Dose 50% |
| MAK | Maximum concentration in the workplace air (CH) |
| NFPA | National Fire Protection Association |
| NIOSH | National Institute for Occupational Safety & Health |
| NOEC | No Observed Effect Concentration |
| OECD | Organisation for Economic Cooperation and Development |
| OSHA | Occupational Safety & Health Administration |
| PBT | persistent and bioaccumulative and toxic |
| PNEC | Predicted No Effect Concentration |
| PROC | Process Category |
| REACH | Registration, Evaluation and Authorization of Chemicals |
| RID | Dangerous goods regulations for transport by rail |
| SCL | Specific concentration limit |
| TRGS | Technische Regeln für Gefahrstoffe |
| UN | United Nations |
| VOC | Volatile organic compounds |
| ZNS | central nervous system |

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Respiratory or skin sensitisation (<i>Skin Sens. 1</i>) | H317: May cause an allergic skin reaction. | |

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements | |
|-------------------|--|
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023

Print date: 19 Jan 2024

Version: 2

Page 10/10



Seal Tech Finisher 5I

Hazard statements

| | |
|------|---|
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Supplemental hazard information

| | |
|--------|-------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
|--------|-------------------------------------|

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.