

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 1/13



## Bio Clean Gel NSF 1I

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Bio Clean Gel NSF 1I

Article No.:

T165101

UFI:

TXN4-N5X6-4000-XS1V

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Detergents and cleaning agents

Relevant identified uses:

Product Categories [PC]

PC 35: Washing and cleaning products

#### 1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

#### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Serious eye damage/eye irritation ( <i>Eye Dam. 1</i> )	H318: Causes serious eye damage.	

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 2/13

## Bio Clean Gel NSF 11

### Hazard components for labelling:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; disodium metasilicate; potassium hydroxide

#### Hazard statements for health hazards

H315	Causes skin irritation.
H318	Causes serious eye damage.

#### Precautionary statements Response

P302 + P352	IF ON SKIN: Wash with plenty of water and soap.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P332 + P313	If skin irritation occurs: Get medical advice/attention.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 111-76-2 EC No.: 203-905-0 Index No.: 603-014-00-0 REACH No.: 01-2119475108-36	<b>2-butoxyethanol</b> Acute Tox. 3 (H331), Acute Tox. 4 (H302), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) ⚠ Danger <b>Acute Toxicity Estimate</b> ATE (oral): 1,200 mg/kg ATE (inhalation, vapour): 3 mg/L	≥ 5 - < 10 Vol-%
CAS No.: 164462-16-2 REACH No.: 01-0000016977-53	<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> Met. Corr. 1 (H290) ⚠ Warning	≥ 1 - < 5 Vol-%
CAS No.: 164524-02-1 EC No.: 629-764-9 REACH No.: 01-2119489427-24	<b>Benzolsulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b> Eye Irrit. 2 (H319) ⚠ Warning	≥ 1 - < 5 Vol-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	<b>sodium p-cumenesulphonate</b> Eye Irrit. 2 (H319) ⚠ Warning	≥ 1 - < 5 Vol-%
CAS No.: 68411-30-3 EC No.: 270-115-0 REACH No.: 01-2119489428-22	<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) ⚠ Danger	≥ 1 - < 3 Vol-%
CAS No.: 6834-92-0 EC No.: 229-912-9 Index No.: 014-010-00-8 REACH No.: 01-2119449811-37	<b>disodium metasilicate</b> Eye Dam. 1 (H318), STOT SE 3 (H335), Skin Corr. 1B (H314) ⚠ Danger	≥ 1 - < 3 Vol-%
CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8 REACH No.: 01-2119487136-33	<b>potassium hydroxide</b> Acute Tox. 4 (H302), Eye Dam. 1 (H318), Met. Corr. 1 (H290), Skin Corr. 1A (H314) ⚠ Danger <b>Specific concentration limit (SCL)</b> Skin Corr. 1A; H314: C ≥ 5% Skin Corr. 1B; H314: 2% ≤ C < 5% Skin Irrit. 2; H315: 0.5% ≤ C < 2% Eye Dam. 1; H318: C ≥ 2% Eye Irrit. 2; H319: 0.5% ≤ C < 2%	≥ 1 - < 2 Vol-%

Full text of H- and EUH-phrases: see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 31 Jan 2023

**Print date:** 15 Feb 2024

**Version:** 2

Page 3/13



## Bio Clean Gel NSF 11

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**General information:**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

**Following inhalation:**

In case of respiratory tract irritation, consult a physician.

**In case of skin contact:**

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

**After eye contact:**

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**Following ingestion:**

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage. Causes skin irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:**

Water, Foam, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>), Sand, Nitrogen, Extinguishing blanket

**Unsuitable extinguishing media:**

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products:**

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Sulphur oxides

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### 5.4. Additional information

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Special danger of slipping by leaking/spilling product.

##### 6.1.2. For emergency responders

No data available

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

**For cleaning up:**

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water.

**Other information:**

Treat the recovered material as prescribed in the section on waste disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 4/13

## Bio Clean Gel NSF 11

### 6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels:

Keep/Store only in original container.

#### Further information on storage conditions:

Protect from frost.

### 7.3. Specific end use(s)

#### Recommendation:

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	② 40 ppm (200 mg/m <sup>3</sup> ) ⑤ (max. 4x30 min./Schicht, kann über die Haut aufgenommen werden) H
IOELV (EU)	<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	① 20 ppm (98 mg/m <sup>3</sup> ) ② 50 ppm (246 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)
MAK (AT)	<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	① 20 ppm (98 mg/m <sup>3</sup> ) ⑤ (kann über die Haut aufgenommen werden) H
MAK (AT)	<b>potassium hydroxide</b> CAS No.: 1310-58-3 EC No.: 215-181-3	① 2 mg/m <sup>3</sup> ⑤ (einatembare Fraktion)

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	98 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	59 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 5/13

## Bio Clean Gel NSF 11

Substance name	DNEL value	① DNEL type ② Exposure route
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	1,091 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	426 mg/m <sup>3</sup>	① DNEL Consumer ② Acute - inhalation, systemic effects
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	147 mg/m <sup>3</sup>	① DNEL Consumer ② Acute - inhalation, local effects
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	10.3 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	26.7 mg/kg bw/day	① DNEL Consumer ② Acute - dermal, systemic effects
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	6.3 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>Benzolsulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b> CAS No.: 164524-02-1 EC No.: 629-764-9	53.6 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Benzolsulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b> CAS No.: 164524-02-1 EC No.: 629-764-9	7.6 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	53.6 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	13.2 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	7.6 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	3.8 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	3.8 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> CAS No.: 68411-30-3 EC No.: 270-115-0	12 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> CAS No.: 68411-30-3 EC No.: 270-115-0	12 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> CAS No.: 68411-30-3 EC No.: 270-115-0	170 mg/m <sup>3</sup>	① DNEL worker ② Long-term - dermal, systemic effects
<b>potassium hydroxide</b> CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 6/13

## Bio Clean Gel NSF 11

Substance name	DNEL value	① DNEL type ② Exposure route
<b>potassium hydroxide</b> CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects

Substance name	PNEC Value	① PNEC type
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	8.8 mg/L	① PNEC aquatic, marine water
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	463 mg/L	① PNEC sewage treatment plant
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	0.88 mg/L	① PNEC sediment, freshwater
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	3.46 mg/L	① PNEC sediment, marine water
<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0	8.14 mg/kg	① PNEC soil
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2	2 mg/L	① PNEC aquatic, freshwater
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2	0.2 mg/L	① PNEC aquatic, marine water
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2	100 mg/L	① PNEC sewage treatment plant
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2	24 mg/kg	① PNEC sediment, freshwater
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2	2.5 mg/kg	① PNEC soil, freshwater
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6	100 mg/L	① PNEC sewage treatment plant

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No data available

### 8.2.2. Personal protection equipment



#### Eye/face protection:

Suitable eye protection: EN 166

#### Skin protection:

Hand protection:

Suitable gloves type: EN 374

Suitable material: NBR (Nitrile rubber)

Breakthrough time: 480 min.

Thickness of the glove material: 0,4 mm

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 7/13

## Bio Clean Gel NSF 11

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Respiratory protection:

Combination filtering device, Type: A

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### Other protection measures:

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Take off contaminated clothing and wash it before reuse. Wash hands thoroughly after handling.

### 8.2.3. Environmental exposure controls

No data available

### 8.3. Additional information

No tests were carried out. The selection was made for the preparations to the best of our knowledge and via the information provided by the ingredients. For preparations, the resistance of glove protection materials cannot be calculated in advance and must therefore be tested before use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** viscous

**Colour:** colourless

**Odour:** characteristic

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	13.5		
Melting point	No data available		
Freezing point	0 °C		
Initial boiling point and boiling range	97 °C		
Flash point	No data available		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.03 g/cm <sup>3</sup>	20 °C	
Bulk density	not applicable		
Water solubility	No data available		
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

### 9.2. Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 8/13

## Bio Clean Gel NSF 11

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Aluminium, zinc

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

Decomposition products in case of fire: see section 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicological information

Acute Toxicity Estimate for Mixtures	
<b>ATE (oral):</b>	>2,000 mg/kg
<b>ATE (dermal):</b>	>2,000 mg/kg
<b>ATE (inhalation, dust/mist):</b>	>20 mg/L
<b>2-butoxyethanol</b>	CAS No.: 111-76-2 EC No.: 203-905-0
<b>ATE (oral)<sup>1</sup>:</b>	1,200 mg/kg
<b>ATE (inhalation, vapour)<sup>1</sup>:</b>	3 mg/L
<b>LD<sub>50</sub> oral:</b>	300 mg/kg (Kaninchen)
<b>LD<sub>50</sub> dermal:</b>	2,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b>	2.2 mg/L (Rat)
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b>	CAS No.: 68411-30-3 EC No.: 270-115-0
<b>LD<sub>50</sub> oral:</b>	500 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b>	>300 - 2,000 mg/kg (Rat) OECD 402
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b>	>5 mg/L (Rat)
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b>	CAS No.: 164462-16-2
<b>LD<sub>50</sub> oral:</b>	>4,000 mg/kg (Ratte)
<b>LD<sub>50</sub> dermal:</b>	>4,000 mg/kg (Ratte) OECD 402
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b>	>5 mg/L (Ratte)
<b>Benzolsulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b>	CAS No.: 164524-02-1 EC No.: 629-764-9
<b>LD<sub>50</sub> oral:</b>	>7,000 mg/kg (Ratte) OECD 401
<b>LD<sub>50</sub> dermal:</b>	>2,000 mg/kg (Kaninchen) OECD 402
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b>	>6.41 mg/L 10 h (Ratte) OECD 403
<b>sodium p-cumenesulphonate</b>	CAS No.: 15763-76-5 EC No.: 239-854-6
<b>LD<sub>50</sub> oral:</b>	>7,000 mg/kg (Rat) OECD 401
<b>LD<sub>50</sub> dermal:</b>	>2,000 mg/kg (Kaninchen)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b>	>20 mg/L (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b>	>5 mg/L (Rat)
<b>disodium metasilicate</b>	CAS No.: 6834-92-0 EC No.: 229-912-9
<b>LD<sub>50</sub> oral:</b>	>2,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b>	>2,000 mg/kg (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b>	>5 mg/L (Rat)
<b>potassium hydroxide</b>	CAS No.: 1310-58-3 EC No.: 215-181-3
<b>LD<sub>50</sub> oral:</b>	365 mg/kg (Rat)

<sup>1</sup>: Acute Toxicity Estimate. Harmonised (legal) classification.

#### Skin corrosion/irritation:

Causes skin irritation.

#### Serious eye damage/irritation:

Causes serious eye damage.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 9/13

## Bio Clean Gel NSF 11

### Respiratory or skin sensitisation:

No further relevant information available.

### Germ cell mutagenicity:

No further relevant information available.

### Carcinogenicity:

No further relevant information available.

### Reproductive toxicity:

No further relevant information available.

### STOT-single exposure:

No further relevant information available.

### STOT-repeated exposure:

No further relevant information available.

### Aspiration hazard:

No further relevant information available.

## 11.2. Information on other hazards

### Other information:

Has degreasing effect on the skin. May be absorbed through the skin. May cause respiratory irritation.

Not tested preparation. The statement is derived from the properties of the individual components.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0
LC <sub>50</sub> : 1,490 mg/L (fish, Lepomis macrochirus)
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> CAS No.: 68411-30-3 EC No.: 270-115-0
LC <sub>50</sub> : >1 mg/L 4 d (fish)
EC <sub>50</sub> : >1 mg/L 2 d (crustaceans)
NOEC: 0.25 mg/L (fish)
NOEC: 2.4 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)
ErC <sub>50</sub> : >1 mg/L (Algae/water plant)
LOEC: 0.51 mg/L (Algae/water plant, Scenedesmus subspicatus)
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2
LC <sub>50</sub> : >110 mg/L 4 d (fish, Danio rerio)
NOEC: 100 mg/L 28 d (fish, Oncorhynchus mykiss) OECD 204
EC <sub>50</sub> : >100 mg/L 2 d (Algae/water plant, Daphnia magna)
<b>Benzenesulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b> CAS No.: 164524-02-1 EC No.: 629-764-9
LC <sub>50</sub> : >100 mg/L 4 d (fish, Cyprinus carpio)
EC <sub>50</sub> : >100 mg/L 2 d (Algae/water plant, Daphnia magna)
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6
LC <sub>50</sub> : >100 mg/L 4 d (fish, Cyprinus carpio)
EC <sub>50</sub> : >100 mg/L 2 d (crustaceans, Daphnia magna)
NOEC: 31 mg/L
<b>disodium metasilicate</b> CAS No.: 6834-92-0 EC No.: 229-912-9
LC <sub>50</sub> : 210 mg/L 4 d (fish, Danio rerio)
EC <sub>50</sub> : 1,700 mg/L 2 d (crustaceans, Daphnia magna)
LC <sub>50</sub> : 210 mg/L 4 d (fish, Danio rerio (zebrafish))
EC <sub>50</sub> : 1,700 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))
<b>potassium hydroxide</b> CAS No.: 1310-58-3 EC No.: 215-181-3
LC <sub>50</sub> : >100 mg/L 4 d (fish)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 10/13



## Bio Clean Gel NSF 11

### 12.2. Persistence and degradability

<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0
<b>Biodegradation:</b> Yes, rapidly
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> CAS No.: 68411-30-3 EC No.: 270-115-0
<b>Biodegradation:</b> Yes, rapidly
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2
<b>Biodegradation:</b> Yes, rapidly
<b>Benzolsulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b> CAS No.: 164524-02-1 EC No.: 629-764-9
<b>Biodegradation:</b> Yes, rapidly
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6
<b>Biodegradation:</b> Yes, rapidly

#### Additional information:

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### 12.3. Bioaccumulative potential

<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0
<b>Log K<sub>OW</sub>:</b> 0.81
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6
<b>Log K<sub>OW</sub>:</b> -1.1

#### Accumulation / Evaluation:

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

<b>2-butoxyethanol</b> CAS No.: 111-76-2 EC No.: 203-905-0
<b>Results of PBT and vPvB assessment:</b> —
<b>Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts</b> CAS No.: 68411-30-3 EC No.: 270-115-0
<b>Results of PBT and vPvB assessment:</b> —
<b>Alanine, N,N-bis(carboxymethyl)-, trisodium salt</b> CAS No.: 164462-16-2
<b>Results of PBT and vPvB assessment:</b> —
<b>Benzolsulfonsäure, 4-(1-Methylethyl)-, Kaliumsalz</b> CAS No.: 164524-02-1 EC No.: 629-764-9
<b>Results of PBT and vPvB assessment:</b> —
<b>sodium p-cumenesulphonate</b> CAS No.: 15763-76-5 EC No.: 239-854-6
<b>Results of PBT and vPvB assessment:</b> —
<b>disodium metasilicate</b> CAS No.: 6834-92-0 EC No.: 229-912-9
<b>Results of PBT and vPvB assessment:</b> —
<b>potassium hydroxide</b> CAS No.: 1310-58-3 EC No.: 215-181-3
<b>Results of PBT and vPvB assessment:</b> —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No information available.

### 12.7. Other adverse effects

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 11/13



## Bio Clean Gel NSF 11

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

07 06 01 *	aqueous washing liquids and mother liquors
20 01 29 *	Detergents containing hazardous substances

\*: Evidence for disposal must be provided.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3, 75

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

###### Other regulations (EU):

Labelling for contents according to regulation (EC) No. 648/2004

< 5% anionic surfactants

< 5% non-ionic surfactants

###### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 5 weight-%

##### 15.1.2. National regulations

No data available

#### 15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 31 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 12/13



## Bio Clean Gel NSF 11

### SECTION 16: Other information

#### 16.1. Indication of changes

No data available

#### 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OEL	Threshold Limit Value
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
VOC	Volatile organic compounds

#### 16.3. Key literature references and sources for data

No data available

#### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Serious eye damage/eye irritation ( <i>Eye Dam. 1</i> )	H318: Causes serious eye damage.	

#### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 31 Jan 2023

**Print date:** 15 Feb 2024

**Version:** 2

Page 13/13



## Bio Clean Gel NSF 1I

### Hazard statements

H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.