according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 9 Aug 2023 Print date: 19 Feb 2024 TECH MASTERS

Version: 2 Page 1/10

Drain Clean Pearls 1000g

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

Drain Clean Pearls 1000g

Article No.: T407003 UFI: VUEA-2TTE-5P0R-6SK3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Cleaner

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2



Page 2/10

Drain Clean Pearls 1000g

Hazard components for labelling:

sodium hydroxide

lazard statements	for physical hazards
1290	May be corrosive to metals.

Hazard statements for health hazards

H314	Causes severe skin burns and eye damage.	
Precautionary stat	ements Prevention	
P260 Do not breathe dust.		
P280 Wear protective gloves/protective clothing and eye protection/face protection.		

Precautionary statements Response

Trecaucionary stat	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Precautionary statements Disposal

Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Adverse human health effects and symptoms:

May be corrosive to metals. Causes severe skin burns and eye damage.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

P501

Hazardous ingredients / Hazardous impurities / Stabilisers:

	· · ·	
Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-73-2 EC No.: 215-185-5 Index No.: 011-002-00-6 REACH No.: 01-2119457892-27	sodium hydroxide Eye Dam. 1 (H318), Met. Corr. 1 (H290), Skin Corr. 1A (H314)	50 – 70 weight-%
CAS No.: 7429-90-5 EC No.: 231-072-3	aluminium The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	1 – 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

Following inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

In case of skin contact:

Take off immediately all contaminated clothing.

Wash with plenty of water and soap.

Get immediate medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2

Page 3/10

Drain Clean Pearls 1000g

Get immediate medical advice/attention.

Following ingestion:

Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide, Foam, Dry extinguishing powder, Water mist

Unsuitable extinguishing media:

Water jet

5.2. Special hazards arising from the substance or mixture

Inhalation of hazardous decomposing (pyrolising) products may cause serious damage to health.

Hazardous combustion products:

Carbon oxides, Carbon dioxide, toxic gases

5.3. Advice for firefighters

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool endangered containers with water spray.

Wear self-contained breathing apparatus. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Ensure good ventilation/extraction at the workplace. Wear personal protection equipment (refer to section 8). Do not breathe dust. Avoid contact with eyes and skin. Avoid dust formation.

Emergency procedures:

Wear protective equipment. Keep unprotected persons away.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment. In case of inadequate ventilation wear respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information:

Take up mechanically, placing in appropriate containers for disposal. Dispose of contaminated material as waste according to section 13.

6.4. Reference to other sections

See section 7 for further information on safe handling. For further information on personal protective equipment: see section 8. For further information on disposal: see section 13.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2

Page 4/10

Drain Clean Pearls 1000g

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Provide adequate ventilation. Avoid contact with eyes and skin. Do not breathe dust. Avoid dust formation. Use personal protection equipment.

Advices on general occupational hygiene

The usual precautions when handling chemicals must be observed.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Store in a corrosion resistant container with a resistant inner liner. Keep/Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect from moisture.

Hints on storage assembly:

Keep away from food, drink and animal feed. Do not eat, drink or smoke when using this product. Do not store together with: Metal

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

Further information on storage conditions:

minimum storage temperature: 5°C

maximum storage temperature: 30°C

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT)	sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	 2 4 mg/m³ 5 (einatembare Fraktion max. 8x5 min./Schicht, Momentanwert)
MAK (AT)	sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	 2 mg/m³ (einatembare Fraktion)
MAK (AT) from 11 Sept 2007	aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	 10 mg/m³ (einatembare Fraktion)
MAK (AT) from 11 Sept 2007	aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	 20 mg/m³ (einatembare Fraktion, max. 2x60 min./Schicht)
MAK (AT) from 11 Sept 2007	aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	 5 mg/m³ (alveolengängige Fraktion)
MAK (AT) from 11 Sept 2007	aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	 2 10 mg/m³ (alveolengängige Fraktion, max. 2x60 min./Schicht)



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2

Page 5/10

Drain Clean Pearls 1000g

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	1 mg/m³	 DNEL worker Long-term - inhalation, local effects
sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5	1 mg/m³	 DNEL Consumer Long-term - inhalation, local effects
aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	3.72 mg/m ³	 DNEL worker Long-term - inhalation, systemic effects
aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	3.72 mg/m ³	 DNEL worker Long-term - inhalation, local effects
aluminium CAS No.: 7429-90-5 EC No.: 231-072-3	7.9 mg/kg bw/ day	 DNEL worker Long-term - oral, systemic effects

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation/extraction at the workplace.

8.2.2. Personal protection equipment

Eye/face protection:

Safety glasses or goggles (EN 166).

Skin protection:

Hand protection: Wear protective gloves. (EN 374) NBR (Nitrile rubber); 0,35mm Butyl caoutchouc (butyl rubber); 0,5mm The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

Body protection:

Wear suitable protective clothing when working.

Respiratory protection:

Where exposure by inhalation may occur through use, respirators are recommended. Filter type: P2 **Thermal hazards:**

No further relevant information available.

Other protection measures:

Care must be taken to avoid direct contact with the product, skin and eye contact, accidental ingestion and spillage. It is forbidden to eat or smoke during work. Hand washing facilities during breaks and hot water baths after work should be provided. Afterwards, hands should be coated with skin protection cream.

8.2.3. Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Powder **Odour:** characteristic

Colour: white



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2



Page 6/10

Drain Clean Pearls 1000g

Safety relevant basis data

Parameter	Value	 Method
		② Remark
рН	14	② 10%
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Evaporation rate	No data available	
Vapour pressure	No data available	
Density	No data available	
Bulk density	≈ 1,270 g/L	
Water solubility	completely miscible	

particle characteristics:

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

May be corrosive to metals.

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

strong oxidants, strong acids, Alkalis, metals

10.6. Hazardous decomposition products

No dangerous decomposition products known. Possible release of toxic fumes. Nitrogen oxides. Aluminium oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L

aluminium CAS No.: 7429-90-5 EC No.: 231-072-3

LD₅₀ oral: >15,900 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >888 mg/L 4 h (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2



Page 7/10

Drain Clean Pearls 1000g

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties:

No further relevant information available.

SECTION 12: Ecological information

12.1. Toxicity

sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5

LC₅₀: 125 mg/L 4 d (fish, Poecilia reticulata)

EC₅₀: 40.4 mg/L 2 d (crustaceans, Daphnia magna)

LC₅₀: 125 mg/L 4 d (fish, Gambusia affinis (Mosquito fish))

EC₅₀: 40.4 mg/L 2 d (fish, Ceriodaphnia spec)

aluminium CAS No.: 7429-90-5 EC No.: 231-072-3

EC₅₀: 40.4 mg/L 2 d (crustaceans, Ceriodaphnia sp.)

Assessment/classification:

There are no data available on the mixture itself.

12.2. Persistence and degradability

Abiotic degradation:

No further relevant information available.

Biodegradation:

No further relevant information available.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5

Results of PBT and vPvB assessment: --

aluminium CAS No.: 7429-90-5 EC No.: 231-072-3

Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

None of the ingredients are included.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2

Page 8/10

Drain Clean Pearls 1000g

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

13.2. Additional information

Ordinance of the Federal Minister of Agriculture, Forestry, Environment and Water Management on the Avoidance and Recovery of Packaging Waste and Certain Residual Goods (Packaging Ordinance 2014), as amended. Hazardous waste according to the Waste Catalogue Ordinance. Ordinance of the Federal Minister of Agriculture, Forestry, Environment and Water Management on a List of Wastes (List of Wastes Ordinance), as amended. Decision 2000/532/EC on the provision of a list of wastes with subsequent amendments. Federal Act on Sustainable Waste Management (Waste Management Act 2002 - AWG 2002), as amended.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number	·	
UN 1823	UN 1823	UN 1823	UN 1823
14.2. UN proper ship	ping name		
SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID
14.3. Transport haza	rd class(es)		
8	8	8	8
14.4. Packing group	-		
 	11	11	11
14.5. Environmental	hazards		
No	No	No	No
14.6. Special precau	tions for user	A	
Limited quantity (LQ): 1 kg	Limited quantity (LQ): 1 kg	Special Provisions:	Limited quantity (LQ): Y844
Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code: C6 Tunnel restriction code: (E)	Excepted Quantities (EQ): E2 Classification code: C6	Limited quantity (LQ): 1 kg Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B	Excepted Quantities (EQ): E2 Remark: IATA Packing Instructions - Passenger: 859 IATA Maximum Quantity - Passenger: 15 kg IATA- Verpackungsanweisung - Cargo: 863 IATA Maximum Quantity - Cargo: 50 kg

14.7. Maritime transport in bulk according to IMO instruments not applicable

en / AT GeSi.de

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2

Page 9/10

Drain Clean Pearls 1000g

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Does not contain a REACH candidate substance. Does not contain a substance listed in REACH Annex XIV.

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

- ACGIH American Conference of Governmental Industrial Hygienists ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging
- DNEL derived no-effect level
- EC_{50} Effective Concentration 50%
- EN European Standard
- ERC Environmental Release Category
- ES Exposure scenario
- EWC European Waste Catalogue
- ICAO International Civil Aviation Organization
- IMDG International Maritime Dangerous Goods
- IMO International Maritime Organization
- KG body weight
- LC₅₀ Lethal (fatal) Concentration 50%
- LD₅₀ Lethal (fatal) Dose 50%
- MAK Maximum concentration in the workplace air (CH)
- NFPA National Fire Protection Association
- NIOSH National Institute for Occupational Safety & Health
- OECD Organisation for Economic Cooperation and Development
- OSHA Occupational Safety & Health Administration
- PBT persistent and bioaccumulative and toxic
- PC Product category
- PNEC Predicted No Effect Concentration
- REACH Registration, Evaluation and Authorization of Chemicals
- RID Dangerous goods regulations for transport by rail
- SCL Specific concentration limit
- TRGS Technische Regeln für Gefahrstoffe
- UN United Nations

16.3. Key literature references and sources for data

No data available



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 9 Aug 2023 Print date: 19 Feb 2024 Version: 2



Drain Clean Pearls 1000g

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard state	Hazard statements	
H290	H290 May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	H318 Causes serious eye damage.	
H319	Causes serious eye irritation.	

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.



