according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2



Eco Tech 1

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1. Product identifier

Trade name/designation:

Eco Tech 1

Article No.:

T113001

# **1.2.** Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

All-purpose cleaner without abrasives

### Relevant identified uses:

Process categories [PROC] PROC 10: Roller application or brushing

# 1.3. Details of the supplier of the safety data sheet

### Supplier:

KANDO Service GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: msds@kando.eu

# 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### Hazard statements: none

Supplemental hazard information		
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

### **Precautionary statements Prevention**

P280 Wear protective gloves/protective clothing and eye protection/face protection.

# Precautionary statements Response

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

# 2.3. Other hazards

### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2



Page 2/11

Eco Tech 1

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### Additional information:

Labelling for contents according to regulation (EC) No. 648/2004:

5% - < 15% non-ionic surfactants, < 5% amphoteric surfactants, Fragrances, Preservative

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 26183-52-8	Alkyl polyethoxilate Acute Tox. 4 (H302), Eye Dam. 1 (H318)	5 - < 10 Vol-%
	Specific concentration limit (SCL) Eye Dam. 1; H318: $20\% \le C < 100\%$	
CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6	<b>1,2-benzisothiazol-3(2H)-one</b> Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Eye Dam. 1 (H318), Skin Irrit. 2 (H315), Skin Sens. 1 (H317)	< 0.1 Vol-%
REACH No.: 01-2120761540-60	<b>Specific concentration limit (SCL)</b> Skin Sens. 1; H317: $0.05\% \le C < 100\%$	
CAS No.: 26530-20-1 EC No.: 247-761-7 Index No.: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 2 (H330), Acute Tox. 3 (H311, H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1 (H314), Skin Sens. 1A (H317) $$ Danger EUH071 M-factor (acute): 100 M-factor (chronic): 100 Specific concentration limit (SCL) Skin Sens. 1A; H317: C ≥ 0.0015% Acute Toxicity Estimate ATE (oral): 125 mg/kg ATE (dermal): 311 mg/kg	< 0.1 Vol-%
Full text of H- and EUH-phra	ATE (inhalation, dust/mist): 0.27 mg/L	

Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### General information:

Remove contaminated, saturated clothing immediately.

# Following inhalation:

Provide fresh air.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

#### Following ingestion:

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

### **4.2. Most important symptoms and effects, both acute and delayed** No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide, Extinguishing powder

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2

Page 3/11

Eco Tech 1

### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

### Hazardous combustion products:

Carbon dioxide (CO2), Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

### **Personal precautions:**

Avoid contact with skin, eyes and clothes.

### **Protective equipment:**

Use personal protection equipment.

**Emergency procedures:** 

Ventilate affected area.

### **6.1.2.** For emergency responders

Personal protection equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# 6.3. Methods and material for containment and cleaning up

### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Treat the recovered material as prescribed in the section on waste disposal.

### Other information:

Collect in closed and suitable containers for disposal. Ventilate affected area.

### 6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### **Protective measures**

Advices on safe handling: Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink, smoke, sniff.

#### Fire prevent measures:

No special fire protection measures are necessary.

### Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2

Page 4/11

Eco Tech 1

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels:

#### Keep container tightly closed. **Hints on storage assembly:**

No special measures are necessary.

**Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

### Further information on storage conditions:

No further relevant information available.

### 7.3. Specific end use(s)

### **Recommendation:**

Cleaning agent

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	<ol> <li>Long-term occupational exposure limit value</li> <li>Short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
МАК (АТ)	<b>2-octyl-2H-isothiazol-3-one</b> CAS No.: 26530-20-1 EC No.: 247-761-7	<ol> <li>0.05 mg/m<sup>3</sup></li> <li>0.05 mg/m<sup>3</sup></li> <li>(einatembare Fraktion, Momentanwert, kann über die Haut aufgenommen werden) H. S</li> </ol>

# 8.1.2. Biological limit values

No data available

# 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	<ol> <li>DNEL type</li> <li>Exposure route</li> </ol>
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	6.81 mg/m³	<ol> <li>DNEL worker</li> <li>Long-term – inhalation, systemic effects</li> </ol>
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	1.2 mg/m <sup>3</sup>	<ol> <li>DNEL worker</li> <li>Long-term - inhalation, systemic effects</li> </ol>
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.966 mg/kg	<ol> <li>DNEL worker</li> <li>Long-term - dermal, systemic effects</li> </ol>
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.345 mg/kg	<ol> <li>DNEL worker</li> <li>Long-term - dermal, systemic effects</li> </ol>
<b>2-octyl-2H-isothiazol-3-one</b> CAS No.: 26530-20-1 EC No.: 247-761-7	4 mg/m <sup>3</sup>	<ol> <li>DNEL worker</li> <li>Long-term - inhalation, local effects</li> </ol>
Substance name	PNEC Value	① PNEC type
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.00403 mg/L	① PNEC aquatic, freshwater
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.000403 mg/ L	① PNEC aquatic, marine water



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 20 Apr 2023 Print date: 15 Feb 2024



Version: 2 Page 5/11

Eco Tech 1

Substance name	PNEC Value	① PNEC type
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.0499 mg/kg	① PNEC sediment, freshwater
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.00499 mg/ kg	① PNEC sediment, marine water
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	3 mg/kg	① PNEC soil
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.0011 mg/L	① PNEC aquatic, intermittent release

# **8.2. Exposure controls**

**8.2.1. Appropriate engineering controls** No information available.

# 8.2.2. Personal protection equipment



### Eye/face protection:

Wear eye protection/face protection. (EN166)

# Skin protection:

Hand protection: Wear protective gloves. (EN374, Breakthrough time: >10 min) Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0,1 mm A list of suitable makes with detailed information on wearing time is available on request.

Diluted application solutions  $\leq 1\%$ :

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

Body protection: Wear suitable work clothing.

#### **Respiratory protection:** Normally not required.

#### **Thermal hazards:**

No further relevant information available.

#### 8.2.3. Environmental exposure controls

Section 6: Accidental Release Measures

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid **Odour:** Perfumes, fragrances

Colour: green

# Safety relevant basis data

Parameter	Value		<ol> <li>Method</li> <li>Remark</li> </ol>
рН	9 - 10	20 °C	
Melting point	≈ 0 °C		
Freezing point	≈ 0 °C		

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2



Page 6/11

Eco Tech 1

Parameter	Value	at °C	1 Method
			② Remark
Initial boiling point and boiling range	≈ 100 °C		
Decomposition temperature	not applicable		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	not applicable		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.01 g/cm <sup>3</sup>	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Dynamic viscosity	< 600 mPa* s	25 °C	
Kinematic viscosity	No data available		

### 9.2. Other information

No further relevant information available.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

No further relevant information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Alkyl polyethoxilate CAS No.: 26183-52-8

LD<sub>50</sub> oral: 500 mg/kg (Ratte)

LD<sub>50</sub> dermal: >2,000 mg/kg (Ratte)

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L (Ratte)

### 1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

LD<sub>50</sub> oral: 500 mg/kg (Rat)

LD<sub>50</sub> dermal: >2,000 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2



Page 7/11

# Eco Tech 1

<b>2-octyl-2H-isothiazol-3-one</b> CAS No.: 26530-20-1 EC No.: 247-761-7
ATE (oral) <sup>1</sup> : 125 mg/kg
ATE (dermal) <sup>1</sup> : 311 mg/kg
ATE (inhalation, dust/mist) <sup>1</sup> : 0.27 mg/L
LD <sub>50</sub> oral: 125 mg/kg (Rat) OECD 401
LD <sub>50</sub> dermal: 311 mg/kg (Rabbit)
LC <sub>50</sub> Acute inhalation toxicity (dust/mist): >0.139 mg/L (Rat) OECD 402
<sup>1</sup> : Acute Toxicity Estimate. Harmonised (legal) classification.
Acute oral toxicity:
Based on available data, the classification criteria are not met.
Acute dermal toxicity:
Based on available data, the classification criteria are not met.
Acute inhalation toxicity: Based on available data, the classification criteria are not met.
Skin corrosion/irritation:
Causes severe skin burns and eye damage.
Serious eye damage/irritation:
Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:
Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May cause allergic reactions.
Germ cell mutagenicity:
Based on available data, the classification criteria are not met.
Carcinogenicity:
Based on available data, the classification criteria are not met.
Reproductive toxicity:
Based on available data, the classification criteria are not met.
<b>STOT-single exposure:</b> Based on available data, the classification criteria are not met.
STOT-repeated exposure:
Based on available data, the classification criteria are not met.
Aspiration hazard:
Based on available data, the classification criteria are not met.
11.2. Information on other hazards
Endocrine disrupting properties:
None of the ingredients are included.
SECTION 12: Ecological information

### 12.1. Toxicity

Alkyl polyethoxilate CAS No.: 26183-52-8

EC<sub>50</sub>: 15 mg/L 2 d (crustaceans, Daphnia magna (Großer Wasserfloh)) OECD 202

ErC<sub>50</sub>: 19.6 mg/L 3 d (Algae/water plant) OECD 201

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

**LC<sub>50</sub>:** >0.1 – 1 mg/L 4 d (fish)

EC<sub>50</sub>: >0.1 - 1 mg/L 2 d (crustaceans)

EC<sub>50</sub>: >0.1 - 1 mg/L 3 d (Algae/water plant)

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2



Page 8/11

Eco Tech 1

### 2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7

LC<sub>50</sub>: 0.047 mg/L 4 d (fish, Oncorhynchus mykiss)

NOEC: 0.003 mg/L 21 d (crustaceans, Daphnia magna) OECD 202

**IC<sub>50</sub>:** 9 mg/L 4 d (crustaceans) OECD 301

NOEC: 0.0085 mg/L (fish, Pimephales promelas)

EC<sub>50</sub>: 0.32 mg/L 2 d (Algae/water plant, Daphnia magna)

ErC<sub>50</sub>: 0.000224 mg/L 2 d (Algae/water plant, Navicula pelliculosa) OECD 201

EC<sub>50</sub>: 0.00129 mg/L 3 d (Algae/water plant, Navicula pelliculosa) OECD 201

#### Assessment/classification:

No further relevant information available.

### 12.2. Persistence and degradability

Alkyl polyethoxilate CAS No.: 26183-52-8

Biodegradation: Yes, rapidly

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Biodegradation: Yes, slowly

#### Additional information:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

### 12.3. Bioaccumulative potential

**1,2-benzisothiazol-3(2H)-one** CAS No.: 2634-33-5 EC No.: 220-120-9

Log K<sub>OW</sub>: 1.45

### Accumulation / Evaluation:

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

Alkyl polyethoxilate CAS No.: 26183-52-8

Results of PBT and vPvB assessment: —

**1,2-benzisothiazol-3(2H)-one** CAS No.: 2634-33-5 EC No.: 220-120-9

Results of PBT and vPvB assessment: -

**2-octyl-2H-isothiazol-3-one** CAS No.: 26530-20-1 EC No.: 247-761-7

Results of PBT and vPvB assessment: -

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

### 12.7. Other adverse effects

No further relevant information available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

### 13.1.1. Product/Packaging disposal

### Waste codes/waste designations according to EWC/AVV

#### Waste code product

07 06 99 Wastes not otherwise specified

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2

Page 9/11

Eco Tech 1

### Waste code packaging

15 01 02 Plastic packaging

### Waste treatment options

Appropriate disposal / Package: Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

Land transport (ADR/RID) Inland waterway craft (ADN)		Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or	ID number			
No dangerous good in sense of these transport regulations.				
14.2. UN proper ship	ping name			
No dangerous good in sense of these transport regulations.				
14.3. Transport haza	rd class(es)			
not relevant	not relevant	not relevant	not relevant	
14.4. Packing group				
not relevant	not relevant	not relevant	not relevant	
14.5. Environmental	hazards			
not relevant	not relevant	not relevant	not relevant	
14.6. Special precau	tions for user			
not relevant	not relevant	not relevant	not relevant	

# **14.7. Maritime transport in bulk according to IMO instruments** not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU legislation

Restrictions on use:

Restrictions on use (REACH, Annex XVII) Entry 75

### Other regulations (EU):

Regulation (EC) No. 648/2004 [Detergents regulation]

**Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:** Volatile organic compounds (VOC) content in percent by weight: 0.3 Vol-%

# 15.1.2. National regulations

No data available

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# 15.3. Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

# **SECTION 16: Other information**

# 16.1. Indication of changes

No data available

# 16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 20 Apr 2023 Print date: 15 Feb 2024



Version: 2 Page 10/11

Eco Tech 1

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland
ADR CAS CLP DNEL EC <sub>50</sub> EN ES EWC IC <sub>50</sub> ICAO IMDG IMO LC <sub>50</sub> LD <sub>50</sub> MAK NFPA NIOSH NOEC OECD OSHA PBT PC PNEC PROC REACH RID SCL TRGS	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Classification, Labelling and Packaging derived no-effect level Effective Concentration 50% European Standard Exposure scenario European Waste Catalogue Inhibition Concentration 50 % International Civil Aviation Organization International Maritime Dangerous Goods International Maritime Dangerous Goods International Maritime Organization Lethal (fatal) Concentration 50% Lethal (fatal) Dose 50% Maximum concentration in the workplace air (CH) National Fire Protection Association National Institute for Occupational Safety & Health No Observed Effect Concentration Organisation for Economic Cooperation and Development Occupational Safety & Health Administration persistent and bioaccumulative and toxic Product category Predicted No Effect Concentration Process Category Registration, Evaluation and Authorization of Chemicals Dangerous goods regulations for transport by rail Specific concentration limit Technische Regeln für Gefahrstoffe
UN VOC	United Nations Volatile organic compounds
	y literature references and sources for data
16.4. Cla	assification for mixtures and used evaluation method according to
regulati	on (EC) No 1272/2008 [CLP]
	ure is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].
	st of relevant hazard statements and/or precautionary statements from s 2 to 15
	statements

Hazard state	Hazard statements		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H330	Fatal if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
Supplementa	al hazard information		
EUH071	Corrosive to the respiratory tract.		

### 16.6. Training advice

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 20 Apr 2023 Print date: 15 Feb 2024 Version: 2



Page 11/11

Eco Tech 1

# 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.