

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 1/9



Inox Renew 500ml

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Inox Renew 500ml

Article No.:

T200601

UFI:

XYRP-1T10-T55S-4EVU

1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 2/9

Inox Renew 500ml

Hazard components for labelling:

orthophosphoric acid

Hazard statements for physical hazards

H290 May be corrosive to metals.

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Supplemental hazard information: none

Precautionary statements Prevention

P280 Wear protective gloves/protective clothing and eye protection/face protection.

Precautionary statements Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7664-38-2 EC No.: 231-633-2 Index No.: 015-011-00-6 REACH No.: 01-2119485924-24	orthophosphoric acid Acute Tox. 4 (H302), Eye Dam. 1 (H318), Met. Corr. 1 (H290), Skin Corr. 1B (H314) ⚠️ Danger Specific concentration limit (SCL) Skin Corr. 1B; H314: $C \geq 25\%$ Skin Irrit. 2; H315: $10\% \leq C < 25\%$ Eye Dam. 1; H318: $C \geq 25\%$ Eye Irrit. 2; H319: $10\% \leq C < 25\%$	≤ 8 Vol-%
CAS No.: 77-92-9 EC No.: 201-069-1 Index No.: 607-750-00-3 REACH No.: 01-2119457026-42	citric acid Eye Irrit. 2 (H319), STOT SE 3 (H335) ⚠️ Warning	≤ 2 Vol-%
CAS No.: 53320-86-8 EC No.: 258-476-2 REACH No.: 01-2119489772-23	Silicic acid, lithium magnesium sodium salt The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	≤ 2 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Always seek medical advice as soon as possible in case of serious or persistent disorders.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 3/9



Inox Renew 500ml

Following inhalation:

Have them sit upright, get them out into the fresh air, make sure they are calm and take them to hospital immediately.

In case of skin contact:

Remove contaminated clothing, rinse skin with plenty of water and take to hospital immediately.

After eye contact:

First rinse with water for a long time, (remove contact lenses if this is easily possible), then consult a doctor.

Following ingestion:

Rinse mouth, do not induce vomiting and take to hospital immediately.

4.2. Most important symptoms and effects, both acute and delayed

Dermal: Chemical burns, redness, pain, severe burns

Eye contact: Chemical burn, redness, blurred vision, pain

oral: Chemical burns, shortness of breath, vomiting, blisters on lips and tongue, burning pain in mouth, throat, oesophagus and stomach.

inhalation: Headache, Dizziness, Nausea, Dizzy, Unconsciousness

4.3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂), Extinguishing powder, Foam, Water spray jet

Unsuitable extinguishing media:

none

5.2. Special hazards arising from the substance or mixture

none

5.3. Advice for firefighters

No data available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Do not step in or touch spilled substances and avoid inhalation of fumes, smoke, dust and vapours by staying on the side facing the wind. Remove contaminated clothing and used contaminated protective equipment and dispose of safely.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information:

Allow to be absorbed by absorbent material.

6.4. Reference to other sections

For more information: See section 8 & 13

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 4/9

Inox Renew 500ml

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Handle with care to avoid spillage.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Store in a well-sealed container in a closed, frost-free and ventilated room.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	② 2 mg/m ³ ⑤ (max. 4x15 min./Schicht)
IOELV (EU)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m ³ ② 2 mg/m ³
MAK (AT)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m ³

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

The level of protection and types of controls required will depend on the potential exposure conditions. Adequate ventilation should be provided so that exposure limits are not exceeded. For more information See section 7

8.2.2. Personal protection equipment



Eye/face protection:

Keep eye wash bottle within reach. Wear tight-fitting safety glasses. In case of exceptional processing problems, wear a face shield and protective suit.

Skin protection:

Handle with Viton protective gloves. Breakthrough time: > 480 min., layer thickness: 0.7 mm, according to EN 374. Check gloves carefully before use. Remove gloves carefully without touching the outside with the bare hand. Suitability for a specific workplace must be discussed with the manufacturer of the protective gloves. Wash and dry the hands.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 5/9

Inox Renew 500ml

Respiratory protection:

Use with adequate exhaust ventilation. If breathing hazards are present, use an air-purifying face mask if necessary. For protection against these stressful levels, use type ABEK.

Other protection measures:

Impermeable clothing. The type of protective equipment depends on the concentration and quantity of hazardous substances in the workplace concerned.

8.2.3. Environmental exposure controls

Comply with applicable environmental regulations that limit releases to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions. For more information, see sections 6 and 13 of the safety data sheet.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: blue

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	1		
Melting point	0 °C		
Freezing point	No data available		
Initial boiling point and boiling range	100 - 100 °C		
Flash point	No data available		
Evaporation rate	0.3		② n-BuAc= 1
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	2,332 Pa	20 °C	
Vapour density	No data available		
Density	No data available		
Relative density	1.15	20 °C	
Bulk density	not applicable		
Water solubility	practically insoluble		
Dynamic viscosity	450 mPa* s	20 °C	
Kinematic viscosity	391 mm ² /s	40 °C	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

none

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

10.5. Incompatible materials

Oxidants, Base

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 6/9

Inox Renew 500ml

10.6. Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information

Acute Toxicity Estimate for Mixtures	
ATE (oral):	>2,000 mg/kg
ATE (dermal):	>2,000 mg/kg
orthophosphoric acid	CAS No.: 7664-38-2 EC No.: 231-633-2
LD ₅₀ oral:	500 mg/kg (Ratte)
LD ₅₀ dermal:	>2,000 mg/kg (Ratte)
LC ₅₀ Acute inhalation toxicity (vapour):	≥50 mg/L 4 h (Rat)
LC ₅₀ Acute inhalation toxicity (dust/mist):	>5 mg/L (Ratte)
citric acid	CAS No.: 77-92-9 EC No.: 201-069-1
LD ₅₀ oral:	>2,000 mg/kg (Rat)
LD ₅₀ dermal:	>2,000 mg/kg (Rat)
LC ₅₀ Acute inhalation toxicity (vapour):	≥50 mg/L 4 h (Rat)
LC ₅₀ Acute inhalation toxicity (dust/mist):	>5 mg/L 4 h (Rat)
Silicic acid, lithium magnesium sodium salt	CAS No.: 53320-86-8 EC No.: 258-476-2
LD ₅₀ oral:	≥5,000 mg/kg (Ratte)
LD ₅₀ dermal:	≥5,000 mg/kg (Kaninchen)
LC ₅₀ Acute inhalation toxicity (vapour):	≥50 mg/L 4 h (Ratte)

Skin corrosion/irritation:

H314 Skin Corr. 1B, H318 Eye Dam. 1: Causes severe skin burns and eye damage.

Serious eye damage/irritation:

H314 Skin Corr. 1B, H318 Eye Dam. 1: Causes severe skin burns and eye damage.

Respiratory or skin sensitisation:

Not classified according to the CLP calculation method.

Germ cell mutagenicity:

Not classified according to the CLP calculation method.

Carcinogenicity:

Not classified according to the CLP calculation method.

Reproductive toxicity:

Not classified according to the CLP calculation method.

STOT-single exposure:

Not classified according to the CLP calculation method.

STOT-repeated exposure:

Not classified according to the CLP calculation method.

Aspiration hazard:

Not classified according to the CLP calculation method.

Additional information:

No further relevant information available.

11.2. Information on other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2

Page 7/9



Inox Renew 500ml

SECTION 12: Ecological information

12.1. Toxicity

orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2
LC₅₀ : 138 mg/L 4 d (fish, <i>Gambusia affinis</i> (Moskitofisch))
EC₅₀ : 100 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Großer Wasserfloh))
EC₅₀ : 100 mg/L 3 d (crustaceans, <i>Daphnia</i>)
NOEC : 100 mg/L 3 d (Algae/water plant, <i>Desmodesmus subspicatus</i>)
NOEC : 56 mg/L 2 d (crustaceans, <i>Daphnia</i>)
ErC₅₀ : >100 mg/L 3 d (Algae/water plant, <i>Desmodesmus subspicatus</i>)
citric acid CAS No.: 77-92-9 EC No.: 201-069-1
LC₅₀ : 440 - 760 mg/L 2 d (fish)
LC₅₀ : 1,535 mg/L (crustaceans, <i>Daphnia</i>)
EC₅₀ : 160 mg/L 2 d (crustaceans)
EC₅₀ : 1,535 mg/L 1 d (crustaceans, <i>Daphnia</i>)
NOEC : 425 mg/L (Algae/water plant, <i>Scenedesmus quadricauda</i>)

12.2. Persistence and degradability

citric acid CAS No.: 77-92-9 EC No.: 201-069-1
Biodegradation : Yes, rapidly

Additional information:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

citric acid CAS No.: 77-92-9 EC No.: 201-069-1
Log K_{ow} : -1.57

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2
Results of PBT and vPvB assessment : —
citric acid CAS No.: 77-92-9 EC No.: 201-069-1
Results of PBT and vPvB assessment : —
Silicic acid, lithium magnesium sodium salt CAS No.: 53320-86-8 EC No.: 258-476-2
Results of PBT and vPvB assessment : —

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product may be disposed of in the specified use concentration if neutralised to pH 7. Any restrictions imposed by local authorities must always be respected.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 8/9

Inox Renew 500ml

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 3264	UN 3264	UN 3264	UN 3264
14.2. UN proper shipping name			
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphorsäure)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphorsäure)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphorsäure)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphorsäure)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code: C1 Tunnel restriction code: (E)	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: C1	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B	Special Provisions: A3 Limited quantity (LQ): Y840 Excepted Quantities (EQ): E2

14.7. Maritime transport in bulk according to IMO instruments
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2. Chemical Safety Assessment

No data available

15.3. Additional information

non-ionic surfactants < 5%

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 19 Jan 2023

Print date: 15 Feb 2024

Version: 2



Page 9/9

Inox Renew 500ml

CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1B</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

No data available