according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 1/12



PU Fix white 50ml (Comp. A)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

PU Fix white 50ml (Comp. A)

Article No.:

T915050

UFI:

JKD0-6ND9-PU0H-R9RG

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Adhesive

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3 4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



Exclamation mark

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 2/12



PU Fix white 50ml (Comp. A)

Signal word: Warning

Hazard statements for health hazards		
	H319	Causes serious eye irritation.

Hazard statements for environmental hazards		
H412	Harmful to aquatic life with long lasting effects.	

Supplemental hazard information		
EUH208	Contains dibutylbis(dodecylthio)stannane. May produce an allergic reaction.	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.	

Precautionary statements Prevention	
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.

Precautionary statements Response		
P337 + P313	If eye irritation persists: Get medical advice/attention.	

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product does not contain any substances with endocrine-disrupting properties in concentrations of \geq 0.1%.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 102-60-3 EC No.: 203-041-4	1,1',1'',-ethylenedinitrilotetrapropan-2-ol Eye Irrit. 2 (H319)	25 - < 50 Vol-%
REACH No.: 01-2119552434-41	(Warning	
CAS No.: 13463-67-7 EC No.: 236-675-5 Index No.: 022-006-00-2 REACH No.: 01-2119489379-17	Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] Carc. 2 (H351)	5 - < 10 Vol-%
CAS No.: 1185-81-5 EC No.: 214-688-7 REACH No.: 01-2119841260-50	dibutylbis(dodecylthio)stannane Acute Tox. 4 (H312), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Muta. 2 (H341), Repr. 1B (H360FD), STOT RE 1 (H372), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Danger M-factor (acute): 1 M-factor (chronic): 1	0.25 - < 0.3 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Never give anything by mouth to an unconscious person!

Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

In case of skin contact:

Wash with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. In case of skin irritation, consult a physician.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 3/12



PU Fix white 50ml (Comp. A)

After eye contact:

First rinse with water for a long time, (remove contact lenses if this is easily possible), then consult a doctor.

Following ingestion:

Rinse mouth thoroughly with water. Drink plenty of water. Call a physician immediately.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

If applicable, delayed symptoms and effects can be found in section 11. or in the routes of intake under section 4.1.

Symptoms of poisoning may not appear for many hours, therefore medical monitoring for at least 48 hours after an accident.

It may occur: Eye redness, tearing of the eyes

May cause allergic reactions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Adapt fire extinguishing measures to the surroundings.

Water spray jet, Foam, Carbon dioxide (CO2), Dry extinguishing powder

Unsuitable extinguishing media:

None known

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon oxides, Nitrogen oxides, Hydrogen cyanide (hydrocyanic acid), toxic gases

5.3. Advice for firefighters

Personal protection equipment: see section 8. Do not inhale explosion and combustion gases. Use suitable breathing apparatus. Depending on the size of the fire, full protection if necessary. Cool endangered containers with water spray. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove all sources of ignition. Avoid dust formation with solid or powdery products. Wear protective equipment. Keep unprotected persons away. Avoid contact with skin, eyes and clothes. If necessary, observe the risk of slipping.

Emergency procedures:

Leave the danger zone as far as possible, use existing emergency plans if necessary.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Contain in case of escape of larger quantities. Stop leak if safe to do so. Do not allow to enter into surface water or drains. Prevent the product from entering waste water, surface water, ground water. In case of spillage into water or sewage system, inform the competent authorities.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 4/12



PU Fix white 50ml (Comp. A)

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Take care for the labels and safety data sheets of the chemicals to be used.

Advices on general occupational hygiene

The usual precautions when handling chemicals must be observed.

Wash hands before breaks and after work.

Keep away from food, drink and animal feed.

Remove contaminated clothing and protective equipment before entering areas where food will be served.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Prevent access for unauthorised persons.

Requirements for storage rooms and vessels:

Do not store product in passageways and stairways. Keep only in the original container in a cool, well-ventilated place. Store at room temperature. Store in a dry place.

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT) from 11 Sept 2007	Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	② 10 mg/m³ ⑤ (alveolengängige Fraktion, max. 2x60 min./Schicht)
MAK (AT) from 11 Sept 2007	Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	① 5 mg/m³ ⑤ (alveolengängige Fraktion)

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 **Print date:** 15 Feb 2024

Version: 2 Page 5/12



PU Fix white 50ml (Comp. A)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
1,1',1",1"- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	8.7 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
1,1',1"-1 ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	29.4 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
1,1',1"-1 ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	2.5 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
1,1',1",1"'- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	4.2 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
1,1',1",1"'- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	2.5 mg/kg bw/ day	① DNEL worker ② Long-term - oral, systemic effects
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	700 mg/kg bw/ day	① DNEL worker ② Long-term – inhalation, systemic effects
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	10 mg/m ³	① DNEL worker ② Long-term – inhalation, local effects

Substance name	PNEC Value	① PNEC type
1,1',1",1"'- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	0.85 mg/L	① PNEC aquatic, freshwater
1,1',1",1"- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	0.085 mg/L	① PNEC aquatic, marine water
1,1',1",1"- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	0.193 mg/kg	① PNEC sediment, freshwater
1,1',1",1"- ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4	0.0193 mg/kg	① PNEC sediment, marine water
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	0.184 mg/L	① PNEC aquatic, freshwater

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 **Print date:** 15 Feb 2024

Version: 2 Page 6/12



PU Fix white 50ml (Comp. A)

Substance name	PNEC Value	① PNEC type
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	0.0184 mg/L	① PNEC aquatic, marine water
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	100 mg/L	① PNEC sewage treatment plant
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	1,000 mg/kg	① PNEC sediment, freshwater
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	100 mg/kg	① PNEC sediment, marine water
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	100 mg/kg	① PNEC soil
Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm] CAS No.: 13463-67-7 EC No.: 236-675-5	0.193 mg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation. This can be achieved by local exhaust ventilation or general exhaust air. If this is not sufficient to keep the concentration below the occupational exposure limits (OEL), suitable respiratory protection must be worn. Applies only if exposure limits are listed here. Appropriate assessment methods for verifying the effectiveness of the protective measures taken include metrological and non-measured methods of determination. Such methods are described by e.g. EN 14042, TRGS 402 (Germany). EN 14042 "Workplace atmospheres. Guidance for the application and use of methods and equipment for the determination of chemical and biological agents". TRGS 402 (Germany) "Determining and assessing the hazards of activities involving hazardous substances - Inhalation exposure".

8.2.2. Personal protection equipment

Eye/face protection:

Safety goggles with side shields (EN 166).

Skin protection:

Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Glove material:

Butyl caoutchouc (butyl rubber)

Neoprene®

NBR (Nitrile rubber)
PVC (polyvinyl chloride)

Thickness of the glove material: 0,5mm

Breakthrough time: >= 480 min.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 7/12



PU Fix white 50ml (Comp. A)

The determined breakthrough times according to EN 16523-1 were not carried out under practical conditions. A maximum wearing time corresponding to 50% of the breakthrough time is recommended. Hand protection cream recommended.

Additional information on hand protection - No tests have been carried out. For mixtures, the selection was made to the best of our knowledge and based on the information provided by the ingredients. For substances, the selection was derived from the glove manufacturer's information. Final selection of glove material must be made with consideration of breakthrough times, permeation rates and degradation. The selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer. In the case of mixtures, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. The exact breakthrough time of the glove material must be obtained from the protective glove manufacturer and must be observed.

Body protection:

Protective work clothing (e.g. safety shoes EN ISO 20345, long-sleeved work clothing).

Respiratory protection:

Normally not required.

Thermal hazards:

Not required.

Other protection measures:

The usual precautions when handling chemicals must be observed.

Wash hands before breaks and after work.

Keep away from food, drink and animal feed.

Remove contaminated clothing and protective equipment before entering areas where food will be served.

8.2.3. Environmental exposure controls

No further relevant information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: pasty Colour: white

Odour: mild

Safety relevant basis data

Parameter	Value	① Method
		② Remark
рН	No data available	
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Auto-ignition temperature	No data available	
Upper/lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Density	1.21 g/cm³	
Relative density		
Bulk density	not applicable	
Water solubility	practically insoluble	
Dynamic viscosity	27 Pa* s	
Kinematic viscosity	No data available	

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 8/12



PU Fix white 50ml (Comp. A)

9.2. Other information

The product is not explosive.

9.2.1. Information with regard to physical hazard classes

Oxidizing liquids:

No.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has not been tested.

10.2. Chemical stability

Chemically stable under conditions of storage, handling and use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Alkalis, strong oxidants, Acids

10.6. Hazardous decomposition products

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information

Mixture related information

LC₅₀ Acute inhalation toxicity (gas): >5 ppmV 4 h

LC₅₀ Acute inhalation toxicity (vapour): >20 mg/L 4 h

Acute Toxicity Estimate for Mixtures

ATE (dermal): >2,000 mg/kg

1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4

LD₅₀ oral: >2,000 - 5,000 mg/kg (Rat) OECD 401

LD₅₀ dermal: >2,000 mg/kg (Rat) OECD 402

Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm]

CAS No.: 13463-67-7 EC No.: 236-675-5 **LD**₅₀ **oral:** >5,000 mg/kg (Rat) OECD 425

LD₅₀ dermal: >5,000 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): >6.8 mg/L (Rat)

dibutylbis(dodecylthio)stannane CAS No.: 1185-81-5 EC No.: 214-688-7

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >1,000 - <2,000 mg/kg

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 9/12



PU Fix white 50ml (Comp. A)

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No further relevant information available.

11.2. Information on other hazards

Endocrine disrupting properties:

None of the ingredients are included.

SECTION 12: Ecological information

12.1. Toxicity

1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4

LC₅₀: >100 mg/L 2 d (fish, Leuciscus idus) DIN 38412 T.15

EC₅₀: >100 mg/L 2 d (crustaceans, Daphnia magna) 92/69/EC

EC₅₀: >100 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus) 84/449/EEC C.3

NOEC: ≥10 mg/L 21 d (crustaceans, Daphnia magna) OECD 211

Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm]

CAS No.: 13463-67-7 EC No.: 236-675-5

LC₅₀: >100 mg/L 4 d (fish, Oncorhynchus mykiss) OECD 203

LC₅₀: >100 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

EC₅₀: 16 mg/L 3 d (Algae/water plant, Pseudokirchnerie lla subcapitata) U.S. EPA-600/9- 78-018

dibutylbis(dodecylthio)stannane CAS No.: 1185-81-5 EC No.: 214-688-7

EC₅₀: 0.11 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4

Biodegradation: Yes, slowly

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4

Log K_{OW}: -2.08

Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm]

CAS No.: 13463-67-7 EC No.: 236-675-5 **Bioconcentration factor (BCF):** 9.6

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 10/12



PU Fix white 50ml (Comp. A)

12.5. Results of PBT and vPvB assessment

1,1',1"',1"'-ethylenedinitrilotetrapropan-2-ol CAS No.: 102-60-3 EC No.: 203-041-4

Results of PBT and vPvB assessment: -

Titandioxid; [in Pulverform mit mindestens 1% Partikel mit aerodynamischem Durchmesser ≤ 10 μm]

CAS No.: 13463-67-7 EC No.: 236-675-5

Results of PBT and vPvB assessment: —

dibutylbis(dodecylthio)stannane CAS No.: 1185-81-5 EC No.: 214-688-7

Results of PBT and vPvB assessment: -

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

None of the ingredients are included.

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 04 09 * Waste adhesives and sealants containing organic solvents or other dangerous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Disposal via waste water is not recommended. Observe local regulations. For example, suitable incineration plant. Cured product: Can be disposed of with household waste.

Appropriate disposal / Package:

Uncleaned packaging: Observe local regulations. Empty container completely. Non-contaminated packaging can be reused. Packaging that cannot be cleaned must be disposed of in the same way as the substance.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or	ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper shipping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.3. Transport hazard class(es)				
not relevant	not relevant	not relevant	not relevant	
14.4. Packing group				
not relevant	not relevant	not relevant	not relevant	
14.5. Environmental hazards				
not relevant	not relevant	not relevant	not relevant	
14.6. Special precautions for user				
not relevant	not relevant	not relevant	not relevant	

14.7. Maritime transport in bulk according to IMO instruments

not applicable

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 11/12



PU Fix white 50ml (Comp. A)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Regulation (EC) No 1907/2006 ANNEX XVII: dibutylbis(dodecylthio)stannane

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

AGW Threshold Limit Value **Bioconcentration Factor BCF** Chemical Abstracts Service CAS

CLP Classification, Labelling and Packaging

German Institute for Standardization / German Industrial Standard DIN

DNEL derived no-effect level Effective Concentration 50% EC_{50}

European Standard ΕN Exposure scenario FS

EWC European Waste Catalogue IC_{50} Inhibition Concentration 50 %

ICAO International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods IMO International Maritime Organization

KG body weight

 LC_{50} Lethal (fatal) Concentration 50%

Lethal (fatal) Dose 50% LD_{50}

MAK Maximum concentration in the workplace air (CH)

National Fire Protection Association **NFPA**

NIOSH National Institute for Occupational Safety & Health

NOEC No Observed Effect Concentration

Organisation for Economic Cooperation and Development OECD

Threshold Limit Value OFL

Occupational Safety & Health Administration **OSHA** persistent and bioaccumulative and toxic PBT Predicted No Effect Concentration

PNEC

REACH Registration, Evaluation and Authorization of Chemicals **RID** Dangerous goods regulations for transport by rail

Specific concentration limit SCL

Technische Regeln für Gefahrstoffe **TRGS**

LIN United Nations

16.3. Key literature references and sources for data

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 May 2023 Print date: 15 Feb 2024

Version: 2 Page 12/12



PU Fix white 50ml (Comp. A)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
	H412: Harmful to aquatic life with long lasting effects.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements		
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H360FD	May damage fertility. May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.