

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2

Page 1/19



## Zinc Guard 500ml

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Zinc Guard 500ml

Article No.:

T112001

UFI:

KH9R-YDAF-Q9K9-UEMS

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Aerosol coating

#### 1.3. Details of the supplier of the safety data sheet

Supplier:

**KANDO Service GmbH**

Hartleitnerstraße 3

4653 Eberstälzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

#### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
STOT-single exposure (STOT SE 3)	H336: May cause drowsiness or dizziness.	
Aerosols (Aerosol 1)	H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated.	

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS02**  
Flame



**GHS07**  
Exclamation mark



**GHS07**  
Exclamation mark

Signal word: Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 2/19

## Zinc Guard 500ml

### Hazard components for labelling:

Acetone; Hydrocarbons, C9, aromatics; Butan-1-ol

#### Hazard statements for physical hazards

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

#### Hazard statements for health hazards

H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--------------------------------------------------

#### Supplemental hazard information

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	-------------------------------------------------------

#### Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Precautionary statements Response

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Precautionary statements Storage

P403	Store in a well-ventilated place.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---------------------------------------------------------------------------------

### 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Description:

Active ingredient mixture with propellant gas

#### Additional information:

Aerosols and containers fitted with a solid nebuliser containing substances or mixtures classified as hazardous by aspiration must not be labelled for this hazard.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 3/19

## Zinc Guard 500ml

### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 67-64-1 Index No.: 606-001-00-8 REACH No.: 01-2119471330-49	<b>Acetone</b> Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger EUH066	25 - < 50 Vol-%
CAS No.: 106-97-8 EC No.: 203-448-7 Index No.: 601-004-00-0 REACH No.: 01-2119474691-32	<b>butane</b> Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) Danger	10 - < 25 Vol-%
CAS No.: 74-98-6 EC No.: 200-827-9 Index No.: 601-003-00-5 REACH No.: 01-2119486944-21	<b>propane</b> Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) Danger	10 - < 25 Vol-%
CAS No.: 128601-23-0 EC No.: 918-668-5 REACH No.: 01-2119455851-35	<b>Hydrocarbons, C9, aromatics</b> Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 3 (H226), STOT SE 3 (H335, H336) Danger	2.5 - < 10 Vol-%
CAS No.: 75-28-5 EC No.: 200-857-2 REACH No.: 01-2119485395-27	<b>Isobutane</b> Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) Danger	2.5 - < 10 Vol-%
CAS No.: 7440-66-6 EC No.: 231-175-3 Index No.: 030-001-01-9 REACH No.: 01-2119467174-37	<b>Zinkpulver - Zinkstaub (stabilisiert)</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Warning	1 - < 2.5 Vol-%
CAS No.: 71-36-3 EC No.: 200-751-6 Index No.: 603-004-00-6 REACH No.: 01-2119484630-38	<b>Butan-1-ol</b> Acute Tox. 4 (H302), Eye Dam. 1 (H318), Flam. Liq. 3 (H226), STOT SE 3 (H335, H336), Skin Irrit. 2 (H315) Danger	1 - < 2.5 Vol-%
CAS No.: 1314-13-2 EC No.: 215-222-5 REACH No.: 01-2119463881-32	<b>zinc oxide</b> Asp. Tox. 1 (H304) Danger	0.1 - < 1 Vol-%
CAS No.: 7779-90-0 EC No.: 231-944-3 Index No.: 030-011-00-6 REACH No.: 01-2119485044-40	<b>trizinc bis(orthophosphate)</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Warning	≥ 0.25 - < 1 Vol-%
CAS No.: 1314-13-2 EC No.: 215-222-5 Index No.: 030-013-00-7 REACH No.: 01-2119463881-32	<b>zinc oxide</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Warning	≥ 0.1 - < 0.25 Vol-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

#### In case of skin contact:

In general, the product is not irritating to skin.

#### After eye contact:

Rinse opened eye for several minutes under running water. Consult a doctor if symptoms persist

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 22 Dec 2022

**Print date:** 23 Feb 2024

**Version:** 2



Page 4/19

## Zinc Guard 500ml

### Following ingestion:

Do not induce vomiting, seek medical help immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Water mist, Extinguishing powder, Carbon dioxide, alcohol resistant foam

#### Unsuitable extinguishing media:

Water in full jet

### 5.2. Special hazards arising from the substance or mixture

No further relevant information available.

### 5.3. Advice for firefighters

Special protective equipment: Put on breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Wear protective equipment. Keep unprotected persons away.

#### 6.1.2. For emergency responders

No data available

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of spillage into water or sewage system, inform the competent authorities.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up:

Do not wash away with water or aqueous detergents.

#### Other information:

Provide adequate ventilation.

### 6.4. Reference to other sections

Further information on proper storage: see section 7.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Ensure good ventilation/extraction at the workplace.

#### Fire prevent measures:

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Container is under pressure. Protect from sunlight and temperatures above 50°C (e.g. from incandescent lamps). Do not open by force or burn even after use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 5/19

## Zinc Guard 500ml

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels:

Store in a cool place. The official regulations for the storage of pressurised gas packages must be observed.

#### Hints on storage assembly:

The official regulations for the storage of pressurised gas packages must be observed.

**Storage class (TRGS 510, Germany):** 2B - Aerosol dispensers and lighters

#### Further information on storage conditions:

Store in a cool dry place. Protect from heat and direct sunlight.

### 7.3. Specific end use(s)

#### Recommendation:

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	<b>Acetone</b> CAS No.: 67-64-1	② 2,000 ppm (4,800 mg/m <sup>3</sup> ) ⑤ (max. 4x15 min./Schicht)
IOELV (EU)	<b>Acetone</b> CAS No.: 67-64-1	① 500 ppm (1,210 mg/m <sup>3</sup> )
MAK (AT)	<b>Acetone</b> CAS No.: 67-64-1	① 500 ppm (1,200 mg/m <sup>3</sup> )
MAK (AT)	<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7	① 800 ppm (1,900 mg/m <sup>3</sup> )
MAK (AT)	<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7	② 1,600 ppm (3,800 mg/m <sup>3</sup> ) ⑤ (max. 3x60 min./Schicht, Momentanwert)
MAK (AT)	<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9	② 2,000 ppm (3,600 mg/m <sup>3</sup> ) ⑤ (max. 3x60 min./Schicht, Momentanwert)
MAK (AT)	<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9	① 1,000 ppm (1,800 mg/m <sup>3</sup> )
MAK (AT)	<b>Isobutane</b> CAS No.: 75-28-5 EC No.: 200-857-2	② 1,600 ppm (3,800 mg/m <sup>3</sup> ) ⑤ (max. 3x60 min./Schicht Momentanwert)
MAK (AT)	<b>Isobutane</b> CAS No.: 75-28-5 EC No.: 200-857-2	① 800 ppm (1,900 mg/m <sup>3</sup> )
MAK (AT)	<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	① 50 ppm (150 mg/m <sup>3</sup> )
MAK (AT)	<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	② 200 ppm (600 mg/m <sup>3</sup> ) ⑤ (max. 4x15 min./Schicht)
MAK (AT)	<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	① 5 mg/m <sup>3</sup> ⑤ (alveolengängige Fraktion)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 6/19

## Zinc Guard 500ml

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	① 5 mg/m <sup>3</sup> ⑤ (alveolengängige Fraktion)

### 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Acetone</b> CAS No.: 67-64-1	1,210 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Acetone</b> CAS No.: 67-64-1	200 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>Acetone</b> CAS No.: 67-64-1	2,420 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>Acetone</b> CAS No.: 67-64-1	186 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Acetone</b> CAS No.: 67-64-1	62 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>Acetone</b> CAS No.: 67-64-1	62 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5	100 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5	32 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5	25 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5	11 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5	11 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	2.5 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	5,000 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	5,000 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	50 mg/kg bw/day	① DNEL worker ② Long-term - oral, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 7/19

## Zinc Guard 500ml

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	2.7 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	0.5 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	214 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	159.8 mg/m <sup>3</sup>	① DNEL Consumer ② Acute - inhalation, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	310 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	55 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	5.5 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	2.7 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	0.3 mg/kg bw/ day	① DNEL worker ② Long-term - oral, systemic effects
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6	3,125 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	2.5 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	0.5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	83 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	83 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	0.83 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	2.5 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	83 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 8/19

## Zinc Guard 500ml

Substance name	DNEL value	① DNEL type ② Exposure route
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	83 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	0.83 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	2.5 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	0.5 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	83 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	83 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	0.83 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>Acetone</b> CAS No.: 67-64-1	10.6 mg/L	① PNEC aquatic, freshwater
<b>Acetone</b> CAS No.: 67-64-1	1.06 mg/L	① PNEC aquatic, marine water
<b>Acetone</b> CAS No.: 67-64-1	100 mg/L	① PNEC sewage treatment plant
<b>Acetone</b> CAS No.: 67-64-1	30.4 mg/L	① PNEC sediment, freshwater
<b>Acetone</b> CAS No.: 67-64-1	3.04 mg/L	① PNEC sediment, marine water
<b>Acetone</b> CAS No.: 67-64-1	29.5 mg/kg	① PNEC soil
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	6.1 mg/L	① PNEC aquatic, marine water
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	52 mg/L	① PNEC sewage treatment plant
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	118 mg/L	① PNEC sediment, freshwater
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	56.5 mg/L	① PNEC sediment, marine water
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3	56.6 mg/kg	① PNEC soil
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	6.1 mg/L	① PNEC aquatic, marine water



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 9/19

## Zinc Guard 500ml

Substance name	PNEC Value	① PNEC type
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	52 mg/L	① PNEC sewage treatment plant
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	117 mg/L	① PNEC sediment, freshwater
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	56.5 mg/L	① PNEC sediment, marine water
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	35.6 mg/kg	① PNEC soil
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	0.0061 mg/L	① PNEC aquatic, marine water
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	0.1 mg/L	① PNEC sewage treatment plant
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	117.8 mg/L	① PNEC sediment, freshwater
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	56.5 mg/L	① PNEC sediment, marine water
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3	35,600 mg/kg	① PNEC soil
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	6.1 mg/L	① PNEC aquatic, marine water
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	52 mg/L	① PNEC sewage treatment plant
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	117 mg/L	① PNEC sediment, freshwater
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	56.5 mg/L	① PNEC sediment, marine water
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5	35.6 mg/kg	① PNEC soil

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No further details. See section 7.

### 8.2.2. Personal protection equipment



#### Eye/face protection:

Safety goggles (EN-166)

#### Skin protection:

Hand protection:

Gloves / solvent resistant

Breakthrough times and swelling properties of the material must be taken into consideration.

Glove material:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 22 Dec 2022

**Print date:** 23 Feb 2024

**Version:** 2

Page 10/19



## Zinc Guard 500ml

The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. NBR (Nitrile rubber)

Recommended material thickness:  $\geq 0,5\text{mm}$

Permeation time (maximum wear duration):

For continuous contact we recommend gloves with a breakthrough time of at least 240 minutes, with the preference for a breakthrough time greater than 480 minutes. For short term or splash protection we recommend the same. We are aware that suitable gloves offering this protection are not available. In this case, a shorter breakthrough time is permissible, provided the procedures for maintenance and timely replacement are followed. The thickness of the gloves is not a good measure of the resistance the gloves give against a chemical substance, as this depends on the exact composition of the material of the gloves. The exact breakthrough time should be checked with the glove manufacturer and adhered to.

Body protection:

Use protective suit. (EN-13034/6)

Antistatic, chemical and oil resistant clothing and safety shoes are recommended. (EN1149; EN340&EN ISO 13688 EN13034-6).

### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Filter A2/P2

### Other protection measures:

General protective and hygienic measures:

Keep away from food, drink and animal feed.

Remove contaminated, saturated clothing immediately.

Wash hands before breaks and after work.

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

General ventilation.

### 8.2.3. Environmental exposure controls

Use a suitable container to prevent environmental pollution.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Aerosol

**Colour:** metallic

**Odour:** characteristic

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		② Mixture is not polar/aprotic.
Initial boiling point and boiling range	-44.5 °C		
Flash point	-97 °C		
Evaporation rate	<i>No data available</i>		
Auto-ignition temperature	365 °C		
Upper/lower flammability or explosive limits	0.7 - 13 Vol-%		
Vapour pressure	3,800 hPa	20 °C	
Density	$\approx 0.826 \text{ g/cm}^3$	20 °C	
Bulk density	<i>not applicable</i>		
Water solubility	<i>not applicable</i>		② Not miscible or only slightly miscible.

### 9.2. Other information

The product is not self-igniting. The product is not explosive, but the formation of explosive vapour/air mixtures is possible. formation of explosive vapour/air mixtures is possible.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 22 Dec 2022

**Print date:** 23 Feb 2024

**Version:** 2



Page 11/19

## Zinc Guard 500ml

### 9.2.1. Information with regard to physical hazard classes

**Explosives:**

Not applicable

**Flammable gases:**

Not applicable

**Aerosols:**

Extremely flammable aerosol. Pressurized container: May burst if heated.

**Oxidizing gases:**

Not applicable

**Gases under pressure:**

Not applicable

**Flammable liquids:**

Not applicable

**Flammable solids:**

Not applicable

**Self-reactive substances and mixtures:**

Not applicable

**Pyrophoric liquids:**

Not applicable

**Pyrophoric solids:**

Not applicable

**Self-heating substances and mixtures:**

Not applicable

**Substances or mixtures which, in contact with water, emit flammable gases:**

Not applicable

**Oxidizing liquids:**

Not applicable

**Oxidizing solids:**

Not applicable

**Organic peroxides:**

Not applicable

**Corrosive to metals:**

Not applicable

**Desensitised explosives:**

Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

Thermal decomposition / Conditions to avoid: No decomposition when used as directed.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

No further relevant information available.

### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No dangerous decomposition products known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2

Page 12/19



## Zinc Guard 500ml

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Acetone</b> CAS No.: 67-64-1
<b>LD<sub>50</sub> oral:</b> ≥5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >20 mg/kg (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >20 ppmV 4 h (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >50 mg/L 4 h (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> 76 mg/L 4 h (Rat)
<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7
<b>LD<sub>50</sub> oral:</b> ≥5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> ≥5,000 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> 658 ppmV 4 h (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> ≥50 mg/L 4 h (Rat)
<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9
<b>LD<sub>50</sub> oral:</b> 5,840 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> 13,900 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >25 ppmV 4 h (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> ≥50 mg/L 4 h (Rat)
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5
<b>LD<sub>50</sub> oral:</b> 3,492 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >3,160 mg/kg (Rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >6,193 ppmV 4 h (Rat)
<b>Isobutane</b> CAS No.: 75-28-5 EC No.: 200-857-2
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 1,237 mg/L (Mouse)
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Ratte)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >5.4 ppmV 4 h (Ratte)
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6
<b>LD<sub>50</sub> oral:</b> 2,292 mg/kg (Ratte)
<b>LD<sub>50</sub> dermal:</b> 3,430 mg/kg (Kaninchen)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> 21 ppmV 4 h (Ratte)
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >5,700 ppmV 4 h (Rat)
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3
<b>LD<sub>50</sub> oral:</b> 5,000 mg/kg (Rat)
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >5,700 ppmV 4 h (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2

Page 13/19



## Zinc Guard 500ml

### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Causes serious eye irritation.

### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

May cause drowsiness or dizziness.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties:

None of the ingredients are included.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Acetone</b> CAS No.: 67-64-1
LC <sub>50</sub> : 8,300 mg/L 4 d
LC <sub>50</sub> : 5,540 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> )
LC <sub>50</sub> : 4,042 mg/L (fish)
EC <sub>50</sub> : 8,800 mg/L 2 d (crustaceans, <i>Daphnia magna</i> )
EC <sub>50</sub> : 8,300 mg/L (fish)
EC <sub>50</sub> : 302 mg/L 4 d (Algae/water plant)
NOEC: 2,212 mg/L (crustaceans, <i>Daphnia pulex</i> )
<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7
LC <sub>50</sub> : 49.9 mg/L 4 d (fish)
EC <sub>50</sub> : 69.43 mg/L 2 d (crustaceans, <i>Daphnia</i> )
ErC <sub>50</sub> : 19.37 mg/L 4 d (Algae/water plant)
<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9
LC <sub>50</sub> : 9,640 mg/L 4 d (fish, <i>Pimephales promelas</i> )
LC <sub>50</sub> : 0.41 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> )
LC <sub>50</sub> : 49.9 mg/L 4 d (fish)
EC <sub>50</sub> : >100 mg/L (Algae/water plant, Bacteria)
EC <sub>50</sub> : 0.17 mg/L 3 d (Algae/water plant, <i>Selenastrum capricornutum</i> )
EC <sub>50</sub> : 69.43 mg/L 2 d (crustaceans, <i>Daphnia</i> )
NOEC: 0.017 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> )
ErC <sub>50</sub> : 19.37 mg/L 4 d (Algae/water plant)
LOEC: 1,000 mg/L (Algae/water plant, Algae)
LOEC: 1,000 mg/L (Algae/water plant, Alge)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 14/19

## Zinc Guard 500ml

<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5
EC <sub>50</sub> : 3.2 mg/L 2 d (crustaceans, Daphnia magna)
EC <sub>50</sub> : 2.75 mg/L 3 d (Algae/water plant, Pseudokirchneriella Subcapitata)
EC <sub>50</sub> : 9.2 mg/L 4 d (fish)
<b>Isobutane</b> CAS No.: 75-28-5 EC No.: 200-857-2
LC <sub>50</sub> : 91.42 mg/L 4 d (fish)
EC <sub>50</sub> : 69.43 mg/L 2 d (crustaceans, Daphnia sp.)
ErC <sub>50</sub> : 19.37 mg/L 4 d (Algae/water plant)
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3
LC <sub>50</sub> : 0.17 mg/L 4 d (Oncorhynchus mykiss)
EC <sub>50</sub> : 0.41 mg/L 2 d (Daphnia magna)
NOEC: 0.017 mg/L 3 d (Pseudokirchneriella subcapitata)
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6
LC <sub>50</sub> : 1,376 mg/L 4 d (fish, Pimephales promelas)
EC <sub>50</sub> : 225 mg/L (Algae/water plant, Selenastrum capricornatum)
EC <sub>50</sub> : 225 mg/L (Algae/water plant, Selenastrum capricornutum)
NOEC: 4.1 mg/L 21 d (crustaceans, Daphnia magna)
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
LC <sub>50</sub> : 1.1 - 2.5 mg/L 4 d (fish, Oncorhynchus mykiss)
IC <sub>50</sub> : 1.85 mg/L 4 d (Algae/water plant, Skeletonema costatum)
LC <sub>50</sub> : 3.31 - 8.062 mg/L 4 d (fish, Brachydanio rerio)
LC <sub>50</sub> : >320 mg/L 4 d (fish, Lepomis macrochirus)
EC <sub>50</sub> : 1 mg/L 2 d (crustaceans, Daphnia magna) OECD 202
EC <sub>50</sub> : 0.412 - 0.83 mg/L 2 d (crustaceans, Ceriodaphnia spec.) U.S. EPA ECOTOX Database
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3
LC <sub>50</sub> : 0.169 mg/L 4 d
EC <sub>50</sub> : 0.136 mg/L 3 d (Algae/water plant)
NOEC: 0.019 mg/L (Algae/water plant, Pseudokirchneriella subcapitata)
ErC <sub>50</sub> : 0.14 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus)
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
LC <sub>50</sub> : 1.1 - 2.5 mg/L 4 d (fish, Oncorhynchus mykiss)
IC <sub>50</sub> : 1.85 mg/L 4 d (Algae/water plant, Skeletonema costatum)
LC <sub>50</sub> : 3.31 - 8.062 mg/L 4 d (fish, Brachydanio rerio)
LC <sub>50</sub> : >320 mg/L 4 d (fish, Lepomis macrochirus)
EC <sub>50</sub> : 1 mg/L 2 d (crustaceans, Daphnia magna) OECD 202
EC <sub>50</sub> : 0.412 - 0.83 mg/L 2 d (crustaceans, Ceriodaphnia spec.) U.S. EPA ECOTOX Database

### Additional ecotoxicological information:

No further relevant information available.

### 12.2. Persistence and degradability

<b>Acetone</b> CAS No.: 67-64-1
Biodegradation: Yes, rapidly
<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7
Biodegradation: Yes, rapidly
<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9
Biodegradation: Yes, rapidly

### Biodegradation:

Not readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2

Page 15/19



## Zinc Guard 500ml

### 12.3. Bioaccumulative potential

<b>Acetone</b> CAS No.: 67-64-1
<b>Log K<sub>OW</sub></b> : -0.23
<b>Bioconcentration factor (BCF)</b> : 3
<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7
<b>Log K<sub>OW</sub></b> : 1.09
<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9
<b>Log K<sub>OW</sub></b> : 1.09
<b>Isobutane</b> CAS No.: 75-28-5 EC No.: 200-857-2
<b>Log K<sub>OW</sub></b> : 1.09
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
<b>Log K<sub>OW</sub></b> : 2.2
<b>Bioconcentration factor (BCF)</b> : 28,960
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
<b>Log K<sub>OW</sub></b> : 2.2
<b>Bioconcentration factor (BCF)</b> : 28,960

#### Bioconcentration factor (BCF):

No further relevant information available.

### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

<b>Acetone</b> CAS No.: 67-64-1
<b>Results of PBT and vPvB assessment:</b> —
<b>butane</b> CAS No.: 106-97-8 EC No.: 203-448-7
<b>Results of PBT and vPvB assessment:</b> —
<b>propane</b> CAS No.: 74-98-6 EC No.: 200-827-9
<b>Results of PBT and vPvB assessment:</b> —
<b>Hydrocarbons, C9, aromatics</b> CAS No.: 128601-23-0 EC No.: 918-668-5
<b>Results of PBT and vPvB assessment:</b> —
<b>Isobutane</b> CAS No.: 75-28-5 EC No.: 200-857-2
<b>Results of PBT and vPvB assessment:</b> —
<b>Zinkpulver - Zinkstaub (stabilisiert)</b> CAS No.: 7440-66-6 EC No.: 231-175-3
<b>Results of PBT and vPvB assessment:</b> —
<b>Butan-1-ol</b> CAS No.: 71-36-3 EC No.: 200-751-6
<b>Results of PBT and vPvB assessment:</b> —
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
<b>Results of PBT and vPvB assessment:</b> —
<b>trizinc bis(orthophosphate)</b> CAS No.: 7779-90-0 EC No.: 231-944-3
<b>Results of PBT and vPvB assessment:</b> —
<b>zinc oxide</b> CAS No.: 1314-13-2 EC No.: 215-222-5
<b>Results of PBT and vPvB assessment:</b> —

not applicable

### 12.6. Endocrine disrupting properties

The product does not contain any substances with endocrine-disrupting properties.

### 12.7. Other adverse effects

Toxic to aquatic life.

Toxic to fish.

Drinking water hazard even when small quantities leak into the subsoil.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2

Page 16/19



## Zinc Guard 500ml

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Must not be disposed of together with household waste. Do not allow to enter into surface water or drains.

##### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

08 01 11 *	Waste paint and varnish containing organic solvents or other dangerous substances
------------	-----------------------------------------------------------------------------------

\*: Evidence for disposal must be provided.

##### Directive 2008/98/EC (Waste Framework Directive)

HP 3	Flammable
HP 4	Irritant — skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 14	Ecotoxic

##### Waste code packaging







15 01 04	metallic packaging
----------	--------------------

#### Waste treatment options

##### Other disposal recommendations:

Uncleaned packaging: Dispose of waste according to applicable legislation.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 1950	UN 1950	UN 1950	UN 1950
<b>14.2. UN proper shipping name</b>			
AEROSOLS, ENVIRONMENTALLY HAZARDOUS	AEROSOLS, ENVIRONMENTALLY HAZARDOUS	AEROSOLS, MARINE POLLUTANT	AEROSOLS, flammable
<b>14.3. Transport hazard class(es)</b>			
 2.1	 2.1	 2.1	 2.1
<b>14.4. Packing group</b>			
		-	
<b>14.5. Environmental hazards</b>			
	No	 MARINE POLLUTANT	No
<b>14.6. Special precautions for user</b>			
<b>Special Provisions:</b> 190   327   344   625 <b>Limited quantity (LQ):</b> 1 L <b>Excepted Quantities (EQ):</b> E0 <b>Classification code:</b> 5F <b>Tunnel restriction code:</b> (D)	<b>Special Provisions:</b> 190   327   344   625 <b>Limited quantity (LQ):</b> 1 L <b>Excepted Quantities (EQ):</b> E0 <b>Classification code:</b> 5F <b>Remark:</b> Attention: Gases	<b>Special Provisions:</b> 63   190   277   327   344   381   959 <b>Limited quantity (LQ):</b> 1L <b>Excepted Quantities (EQ):</b> E0 <b>EmS-No.:</b> F-D,S-U <b>Remark:</b> Attention: Gases	<b>Special Provisions:</b> A145   A167 <b>Remark:</b> Attention: Gases



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 17/19

## Zinc Guard 500ml

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
Remark: Attention: Gases			

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Authorisations:

Directive 2012/18/EU

Named dangerous substances - ANNEX I: None of the ingredients are included.

##### Restrictions on use:

Regulation (EC) No 1907/2006 ANNEX XVII: Restriction conditions: 3

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II:

None of the ingredients are included.

Regulation (EU) 2019/1148

Annex I - RESTRICTED EXPORT SUBSTANCES FOR EXPLOSIVES (upper concentration limit for a permit pursuant to Article 5(3)): None of the ingredients are included.

Annex II - EXPLOSIVES REPORTABLE FOR EXPLOSIVES: 67-64-1 Acetone

Regulation (EC) No 273/2004 on drug precursors: 67-64-1 Acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade in drug precursors between the Community and third countries: 67-64-1 Acetone

##### Other regulations (EU):

Hazard categories:

- P3a 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances:

- Liquefied flammable gases, Category 1 or 2 (including liquefied petroleum gas) and natural gas

##### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 746 g/L

#### 15.1.2. National regulations

No data available

### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 22 Dec 2022

Print date: 23 Feb 2024

Version: 2



Page 18/19

## Zinc Guard 500ml

EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
IC <sub>50</sub>	Inhibition Concentration 50 %
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OEL	Threshold Limit Value
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
VOC	Volatile organic compounds
ZNS	central nervous system

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
STOT-single exposure ( <i>STOT SE 3</i> )	H336: May cause drowsiness or dizziness.	
Aerosols ( <i>Aerosol 1</i> )	H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 22 Dec 2022

**Print date:** 23 Feb 2024

**Version:** 2



Page 19/19

## Zinc Guard 500ml

### Hazard statements

H411	Toxic to aquatic life with long lasting effects.
------	--------------------------------------------------

### Supplemental hazard information

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	-------------------------------------------------------

### 16.6. Training advice

No data available

### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.