

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2

Page 1/12



Wasp-Ex 750ml

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Wasp-Ex 750ml

Article No.:

T478075

UFI:

WDSA-CYM7-M20U-PVJ5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Insecticide (biocide PT18), spray for the control of wasp nests and wasp larvae

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstälzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aerosols (<i>Aerosol 1</i>)	H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated.	
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	
Hazardous to the aquatic environment (<i>Aquatic Acute 1</i>)	H400: Very toxic to aquatic life.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 1</i>)	H410: Very toxic to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS02
Flame



GHS09
Environment

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2



Page 2/12

Wasp-Ex 750ml

Hazard components for labelling:

Hydrocarbons, C11-C13, iso-alkanes, <2% aromatics

Hazard statements for physical hazards

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Hazard statements for environmental hazards

H410	Very toxic to aquatic life with long lasting effects.
------	---

Supplemental hazard information

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P262	Do not get in eyes, on skin, or on clothing.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P331	Do NOT induce vomiting.

Precautionary statements Storage

P403	Store in a well-ventilated place.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

Other adverse effects:

This product does not contain components in concentrations of 0.1% or higher that are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB). This product does not contain any ingredients considered to have endocrine disrupting properties under Article 57(f) of REACH, Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
EC No.: 920-901-0 REACH No.: 01-2119456810-40	Hydrocarbons, C11-C13, iso-alkanes, <2% aromatics Asp. Tox. 1 (H304) ⚠ Danger	40 - 60 Vol-%
CAS No.: 106-97-8 EC No.: 203-448-7 Index No.: 601-004-00-0 REACH No.: 01-2119474691-32	Butane (with < 0,1 % butadiene (203-450-8)) Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) ⚠ Danger	30 - 40 Vol-%
CAS No.: 74-98-6 EC No.: 200-827-9 Index No.: 601-003-00-5 REACH No.: 01-2119486944-21	propane Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) ⚠ Danger	10 - 20 Vol-%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2



Page 3/12

Wasp-Ex 750ml

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 23031-36-9 EC No.: 245-387-9 Index No.: 607-431-00-9	Prallethrin (ISO) Acute Tox. 3 (H331), Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Danger M-factor (acute): 100 M-factor (chronic): 100	0.1 Vol-%
CAS No.: 26046-85-5 EC No.: 247-431-2	1R-trans-Phenothrin Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410) Warning M-factor (acute): 100 M-factor (chronic): 10	0.1 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

If unconscious, position and transport in stable lateral position.

Following inhalation:

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. Consult a doctor if symptoms persist.

In case of skin contact:

Take off immediately all contaminated clothing and wash it before reuse. In case of contact with skin, wash off with plenty of soap and water.

Consult a doctor if symptoms persist.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse the mouth with water. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: no particular risks if handled properly.

Skin contact: repeated contact may cause brittle or cracked skin.

Ingestion: ingestion unlikely.

Eye contact: may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂), Extinguishing powder, Foam, Water spray jet

Unsuitable extinguishing media:

Water in full jet

5.2. Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurized container: May burst if heated.

Hazardous combustion products:

Carbon oxides (CO_x), Nitrogen oxides (NO_x), Smoke

5.3. Advice for firefighters

In case of fire, wear self-contained breathing apparatus and full protective suit.

Do not inhale explosion and combustion gases.

5.4. Additional information

If possible, remove containers from the danger zone.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2



Page 4/12

Wasp-Ex 750ml

Cool endangered containers with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

- Wear protective equipment. Keep unprotected persons away.
- Provide adequate ventilation.
- Remove all sources of ignition.
- Avoid contact with eyes and skin.
- Do not breathe mist/vapours/spray.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

- Do not allow to enter into surface water or drains.
- In case of spillage into water or sewage system, inform the competent authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
- Take up mechanically, placing in appropriate containers for disposal.
- Clean soiled surfaces and objects with plenty of water. Collect rinsing water in closable containers and dispose of according to regulations.

Other information:

Waste containing butane/propane must not be allowed to enter drains where vapours could accumulate and ignite.

6.4. Reference to other sections

- See section 7 for further information on safe handling.
- For further information on personal protective equipment: see section 8.
- For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

- The usual precautions when handling chemicals must be observed.
- Observe instructions for use.
- Ensure good ventilation/extraction at the workplace.
- Do not breathe mist/vapours/spray.
- Wash hands before breaks and after work.

Fire prevent measures:

- Keep away from sources of ignition - No smoking.
- Take precautionary measures against static discharges.
- Container is under pressure. Protect from sunlight and temperatures above 50°C (e.g. from incandescent lamps). Do not open by force or burn even after use.
- Do not spray against a flame or on a glowing object.
- Only use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

- Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.
- The official regulations for the storage of pressurised gas packages must be observed. Protect from direct sunlight.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2



Page 5/12

Wasp-Ex 750ml

Hints on storage assembly:

Keep away from food, drink and animal feed.
Do not store together with: Alkalis, Acids, Oxidizing agent

Further information on storage conditions:

Store out of reach of children and pets. To reduce the risk of falling, pallets should be positioned as close to the floor as possible. When stacking the packages, make sure that the packages of the lower layers are not compressed (risk of leakage due to compression).

7.3. Specific end use(s)

Recommendation:

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	Butane (with < 0,1 % butadiene (203-450-8)) CAS No.: 106-97-8 EC No.: 203-448-7	① 800 ppm (1,900 mg/m ³)
MAK (AT)	Butane (with < 0,1 % butadiene (203-450-8)) CAS No.: 106-97-8 EC No.: 203-448-7	② 1,600 ppm (3,800 mg/m ³) ⑤ (max. 3x60 min./Schicht, Momentanwert)
MAK (AT)	propane CAS No.: 74-98-6 EC No.: 200-827-9	② 2,000 ppm (3,600 mg/m ³) ⑤ (max. 3x60 min./Schicht, Momentanwert)
MAK (AT)	propane CAS No.: 74-98-6 EC No.: 200-827-9	① 1,000 ppm (1,800 mg/m ³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation/extraction at the workplace.

8.2.2. Personal protection equipment



Eye/face protection:

Safety goggles with side protection

Skin protection:

Hand protection:

Wear protective gloves. (EN 374)

Wash contaminated gloves. In case of contamination inside, damage or if contamination cannot be removed outside, discard.

Glove material:

Selection of glove material considering breakthrough times, permeation rates and degradation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2



Page 6/12

Wasp-Ex 750ml

NBR (Nitrile rubber), Disposable gloves

Protection index class 6

Breakthrough time: > 480 min.

Permeation time (maximum wear duration):

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

Body protection:

No special measures required if used properly.

Respiratory protection:

Half-face mask

Other protection measures:

General protective and hygienic measures:

Avoid any unnecessary contact with the product. Do not eat, drink or smoke in the workplace and maintain scrupulous cleanliness. Do not inhale vapours. Remove contaminated clothing and wash thoroughly before reuse. Wash skin thoroughly after work and before breaks.

8.2.3. Environmental exposure controls

Do not allow to enter into surface water or drains.

In case of spillage into water or sewage system, inform the competent authorities.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Aerosol

Colour: colourless

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Initial boiling point and boiling range	No data available		
Flash point	< 0 °C		
Evaporation rate	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Relative density	0.79		
Bulk density	not applicable		
Water solubility	No data available		
Kinematic viscosity	20.5 mm ² /s	40 °C	

9.2. Other information

Heating leads to pressure build-up, risk of bursting and explosion.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Direct sunlight, heat, open flames, sparks, hot surfaces, sources of ignition

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2

Page 7/12



Wasp-Ex 750ml

10.5. Incompatible materials

Acids, Alkalis, Oxidizing agent

10.6. Hazardous decomposition products

Carbon oxides (COx), Nitrogen oxides (NOx), Smoke

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Prallethrin (ISO) CAS No.: 23031-36-9 EC No.: 245-387-9
LD₅₀ oral: 412 mg/kg (Rat)
LD₅₀ dermal: >5,000 mg/kg (Rat)
LC₅₀ Acute inhalation toxicity (dust/mist): 0.658 mg/L 47 h (Rat)
1R-trans-Phenothrin CAS No.: 26046-85-5 EC No.: 247-431-2
LD₅₀ oral: >5,000 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rat)
LC₅₀ Acute inhalation toxicity (dust/mist): >5.3 mg/L 4 h (Rat)
Hydrocarbons, C11-C13, iso-alkanes, <2% aromatics EC No.: 920-901-0
LD₅₀ oral: 5,000 mg/kg (Rat)
LD₅₀ dermal: 5,000 mg/kg (Rabbit)
LC₅₀ Acute inhalation toxicity (dust/mist): 5,000 mg/L (Rat)
propane CAS No.: 74-98-6 EC No.: 200-827-9
LD₅₀ oral: 5,840 mg/kg (Rat)
LD₅₀ dermal: 13,900 mg/kg (Rabbit)
LC₅₀ Acute inhalation toxicity (gas): >25 ppmV 4 h (Rat)
LC₅₀ Acute inhalation toxicity (vapour): ≥50 mg/L 4 h (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2

Page 8/12



Wasp-Ex 750ml

Additional information:

Experience in humans: Long-term exposure may cause headache, dizziness, eye irritation. May irritate the respiratory tract. Repeated or long-term contact with skin may cause drying/degreasing of the skin and dermatoses.

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain any ingredients considered to have endocrine disrupting properties under Article 57(f) of REACH, Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 12: Ecological information

12.1. Toxicity

Prallethrin (ISO) CAS No.: 23031-36-9 EC No.: 245-387-9
LC₅₀ : 0.012 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i>)
EC₅₀ : 0.0062 mg/L 2 d (crustaceans, <i>Daphnia magna</i>)
IC₅₀ : 4.5 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i>)
1R-trans-Phenothrin CAS No.: 26046-85-5 EC No.: 247-431-2
LC₅₀ : 0.0559 mg/L 4 d (fish)
EC₅₀ : 0.0046 mg/L 2 d (crustaceans)
EC₅₀ : >5 mg/L 3 d (Algae/water plant)
NOEC : 0.00047 mg/L (crustaceans)
propane CAS No.: 74-98-6 EC No.: 200-827-9
LC₅₀ : 9,640 mg/L 4 d (fish, <i>Pimephales promelas</i>)
LC₅₀ : 0.41 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i>)
LC₅₀ : 49.9 mg/L 4 d (fish)
EC₅₀ : >100 mg/L (Algae/water plant, Bacteria)
EC₅₀ : 0.17 mg/L 3 d (Algae/water plant, <i>Selenastrum capricornutum</i>)
EC₅₀ : 69.43 mg/L 2 d (crustaceans, <i>Daphnia</i>)
NOEC : 0.017 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i>)
ErC₅₀ : 19.37 mg/L 4 d (Algae/water plant)
LOEC : 1,000 mg/L (Algae/water plant, Algae)
LOEC : 1,000 mg/L (Algae/water plant, Alge)

Aquatic toxicity:

No further relevant information available.

Additional ecotoxicological information:

No further relevant information available.

12.2. Persistence and degradability

propane CAS No.: 74-98-6 EC No.: 200-827-9
Biodegradation: Yes, rapidly

Biodegradation:

Butane: half-life in water < 2.6 days, in air 3.2 days; Propane: biodegradation: < 60% (28 days).

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

propane CAS No.: 74-98-6 EC No.: 200-827-9
Log K_{ow} : 1.09

Bioconcentration factor (BCF):

No further relevant information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2



Page 9/12

Wasp-Ex 750ml

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

Prallethrin (ISO) CAS No.: 23031-36-9 EC No.: 245-387-9
Results of PBT and vPvB assessment: —
1R-trans-Phenothrin CAS No.: 26046-85-5 EC No.: 247-431-2
Results of PBT and vPvB assessment: —
Hydrocarbons, C11-C13, iso-alkanes, <2% aromatics EC No.: 920-901-0
Results of PBT and vPvB assessment: —
Butane (with < 0,1 % butadiene (203-450-8)) CAS No.: 106-97-8 EC No.: 203-448-7
Results of PBT and vPvB assessment: —
propane CAS No.: 74-98-6 EC No.: 200-827-9
Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

The product does not contain any substances with endocrine-disrupting properties.

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Remark:

59803 (Pressurised gas packages (aerosol cans) with residual contents)

Waste treatment options





Appropriate disposal / Package:

Uncleaned packaging:

Dispose of waste according to applicable legislation.

Container is under pressure. Protect from sunlight and temperatures above 50°C (e.g. from incandescent lamps). Do not open by force or burn even after use.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name			
AEROSOLS, ENVIRONMENTALLY HAZARDOUS	AEROSOLS, ENVIRONMENTALLY HAZARDOUS	AEROSOLS	AEROSOLS, FLAMMABLE
14.3. Transport hazard class(es)			
 2.1	 2.1	 2.1	 2.1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2

Page 10/12



Wasp-Ex 750ml

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.4. Packing group			
14.5. Environmental hazards			
		MARINE POLLUTANT	No
14.6. Special precautions for user			
Special Provisions: 190 327 344 625 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E0 Classification code: 5F Tunnel restriction code: (D) Remark: Attention: Gases	Special Provisions: 190 327 344 625 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E0 Classification code: 5F Remark: Attention: Gases	Special Provisions: 63 190 277 327 344 381 959 Limited quantity (LQ): Siehe SV277 Excepted Quantities (EQ): E0 EmS-No.: F-D, S-U Remark: Attention: Gases	Special Provisions: A145 A167 Limited quantity (LQ): Y203 Excepted Quantities (EQ): E0 Remark: Attention: Gases

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Takes into account Directive 75/324/EEC on aerosol dispensers and Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

Restrictions on use:

Regulation (EC) No 1907/2006 ANNEX XVII

Restriction conditions: 3; 40

Other regulations (EU):

Hazard categories:

- P3a 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids
- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Named dangerous substances:

- Liquefied flammable gases, Category 1 or 2 (including liquefied petroleum gas) and natural gas
- Does not contain substances on the REACH candidate list. Does not contain substances listed in Annex XIV of REACH. Does not contain substances subject to Regulation (EC) No 1005/2009 on substances that deplete the ozone layer. Does not contain substances subject to Regulation (EC) No 2019/1021 on persistent organic pollutants. Does not contain substances subject to Regulation (EC) No 649/2012 on the export and import of dangerous chemicals. Does not contain substances subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 638.6 g/L

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2

Page 11/12



Wasp-Ex 750ml

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
ES	Exposure scenario
IMO	International Maritime Organization
ISO	International Standards Organisation
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
ZNS	central nervous system

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aerosols (<i>Aerosol 1</i>)	H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated.	
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	
Hazardous to the aquatic environment (<i>Aquatic Acute 1</i>)	H400: Very toxic to aquatic life.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 1</i>)	H410: Very toxic to aquatic life with long lasting effects.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 16 Aug 2023

Print date: 23 Feb 2024

Version: 2

Page 12/12



Wasp-Ex 750ml

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.