

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2

Page 1/9



## Power Grease 7000 400g

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Power Grease 7000 400g

Article No.:

T306006

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Grease

#### 1.3. Details of the supplier of the safety data sheet

Supplier:

**KANDO Service GmbH**

Hartleitnerstraße 3

4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

#### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information	
EUH208	Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Precautionary statements: none

#### 2.3. Other hazards

Other adverse effects:

No further relevant information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Description:

Mixture containing mineral oil. Mineral oil with < 3% DMSO extract according to IP 346.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2



Page 2/9

## Power Grease 7000 400g

### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 18621-94-8 EC No.: 242-449-7 REACH No.: 01-2120116611-70	<b>dilithium adipate</b> Acute Tox. 4 (H302) ⚠ Warning <b>Acute Toxicity Estimate</b> ATE (oral) 500 mg/kg	2.5 - < 5 Vol-%
CAS No.: 68425-15-0 EC No.: 270-335-7 REACH No.: 01-2119540516-41	<b>Polysulfides, di-tert-dodecyl</b> Skin Sens. 1B (H317) ⚠ Warning <b>Acute Toxicity Estimate</b> ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) > 20 mg/L	0.3 - < 1 Vol-%
CAS No.: 12006-96-1 EC No.: 701-475-3 REACH No.: 01-2120772309-47	<b>Reaction products of boric acid and lithium hydroxide</b> Acute Tox. 4 (H302), Eye Dam. 1 (H318), Repr. 2 (H361) ⚠⚠⚠ Danger <b>Specific concentration limit (SCL)</b> Repr. 2; H361: 7.6% ≤ C < 100% <b>Acute Toxicity Estimate</b> ATE (oral) 500 mg/kg	0.3 - < 1 Vol-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

#### Following inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### Following ingestion:

If swallowed, rinse mouth with water (only if the victim is conscious). Make the victim drink plenty of water in small sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Extinguishing powder, alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

#### Hazardous combustion products:

Carbon monoxide, Carbon dioxide

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 11 Jun 2024

**Print date:** 5 Jul 2024

**Version:** 2



Page 3/9

## Power Grease 7000 400g

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Personal precautions:**

See section 7 + 8.

#### 6.1.2. For emergency responders

No data available

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

### 6.3. Methods and material for containment and cleaning up

**For cleaning up:**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**Other information:**

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols

**Fire prevent measures:**

No special measures are necessary.

**Advices on general occupational hygiene**

When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

**Requirements for storage rooms and vessels:**

Protect from frost. Protect from heat and direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

**Recommendation:**

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. Biological limit values

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2



Page 4/9

## Power Grease 7000 400g

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	32.9 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	5.8 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	46.7 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	1.7 mg/kg bw/ day	① DNEL Consumer ② Long-term - oral, systemic effects
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	16.7 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	0.001 mg/L	① PNEC sewage treatment plant
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	3.85 mg/kg	① PNEC sediment, freshwater
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7	0.385 mg/kg	① PNEC sediment, marine water

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection (DIN EN ISO 16321)

##### Skin protection:

Hand protection:

Wear suitable protective gloves in case of prolonged or repeated skin contact. (EN ISO 374)

Glove material: NBR (Nitrile rubber), Breakthrough time: > 480 min, Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective creams can help protect exposed areas of the skin. After contact, these should not be applied under any circumstances.

Body protection: Protective clothing.

##### Respiratory protection:

When used properly and under normal conditions, respiratory protection is not required. If splashes or fine mists are formed, an approved respirator suitable for this purpose must be worn. Suitable breathing apparatus: Filtering half mask (DIN EN 149), e.g. FFA P / FFP3.

#### 8.2.3. Environmental exposure controls

Do not allow to enter into surface water or drains.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2

Page 5/9



## Power Grease 7000 400g

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

**Physical state:** Paste

**Colour:** light brown

**Odour:** characteristic

##### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		
Initial boiling point and boiling range	<i>No data available</i>		
Flash point	> 230 °C		
Evaporation rate	<i>No data available</i>		
Upper/lower flammability or explosive limits	<i>not applicable</i>		
Vapour pressure	< 0.1 hPa	20 °C	
Density	1.1 g/cm <sup>3</sup>	15 °C	
Water solubility	practically insoluble		
Kinematic viscosity	<i>not applicable</i>		

#### 9.2. Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

No information available.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No information available.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>dilithium adipate</b> CAS No.: 18621-94-8 EC No.: 242-449-7
<b>ATE (oral):</b> 500 mg/kg
<b>ATE oral:</b> 500 mg/kg
<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7
<b>ATE (oral):</b> >2,000 mg/kg
<b>ATE (dermal):</b> >2,000 mg/kg
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat) OECD 402
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >20 mg/L (Rat)
<b>Reaction products of boric acid and lithium hydroxide</b> CAS No.: 12006-96-1 EC No.: 701-475-3
<b>ATE (oral):</b> 500 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2

Page 6/9



## Power Grease 7000 400g

### Acute oral toxicity:

Based on available data, the classification criteria are not met.

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation:

Contains Polysulfides, di-tert-dodecyl. May cause allergic reactions.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties:

No further relevant information available.

### Other information:

If the general rules of occupational safety and industrial hygiene are observed, there is no risk to the health of personnel when handling this product.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7
<b>LC<sub>50</sub>:</b> >100 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> ) OECD 203
<b>EC<sub>50</sub>:</b> >100 mg/L 2 d (crustaceans, <i>Daphnia magna</i> )
<b>NOEC:</b> >0.1 mg/L 2 d (crustaceans, <i>Daphnia magna</i> )
<b>NOEC:</b> >0.08 mg/L 3 d (Algae/water plant, <i>Raphidocelis subcapitata</i> )
<b>ErC<sub>50</sub>:</b> >100 mg/L 3 d (Algae/water plant, <i>Selenastrum capricornutum</i> )
<b>LC<sub>50</sub>:</b> >100 mg/L 4 d (fish, <i>Danio rerio</i> (zebrafish)) OECD 203

### Aquatic toxicity:

No further relevant information available.

### Assessment/classification:

No further relevant information available.

### 12.2. Persistence and degradability

<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7
<b>Biodegradation:</b> Yes, slowly

### Additional information:

No further relevant information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2

Page 7/9



## Power Grease 7000 400g

### 12.3. Bioaccumulative potential

<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7
--

<b>Log K<sub>OW</sub></b> : > 12
----------------------------------

<b>Bioconcentration factor (BCF)</b> : < 1
--

#### Accumulation / Evaluation:

No further relevant information available.

### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

<b>dilithium adipate</b> CAS No.: 18621-94-8 EC No.: 242-449-7
--

<b>Results of PBT and vPvB assessment:</b> —
--

<b>Polysulfides, di-tert-dodecyl</b> CAS No.: 68425-15-0 EC No.: 270-335-7
--

<b>Results of PBT and vPvB assessment:</b> —
--

<b>Reaction products of boric acid and lithium hydroxide</b> CAS No.: 12006-96-1 EC No.: 701-475-3
--

<b>Results of PBT and vPvB assessment:</b> —
--

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Do not allow to enter into surface water or drains. Waste and containers must be disposed of in a safe manner. Take care when handling empty containers that have not been cleaned or rinsed out. Empty dispersal and run-off of released material and contact with soil, water bodies, drains and sewers. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

12 01 12 *	spent waxes and fats
------------	----------------------

\*: Evidence for disposal must be provided.

#### Waste treatment options

#### Appropriate disposal / Package:

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 11 Jun 2024

Print date: 5 Jul 2024

Version: 2



Page 8/9

## Power Grease 7000 400g

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Restrictions on use:

Restrictions on use (REACH, Annex XVII)

Entry 75

Not subject to the SEVESO III Directive.

#### 15.1.2. National regulations

No data available

### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%
EN	European Standard
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
NFPA	National Fire Protection Association
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 11 Jun 2024

**Print date:** 5 Jul 2024

**Version:** 2



Page 9/9

## Power Grease 7000 400g

SCL Specific concentration limit  
TRGS Technische Regeln für Gefahrstoffe  
UN United Nations

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.

### 16.6. Training advice

No data available

### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.