according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 1/15



# Clean Spray 51

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### \* 1.1. Product identifier

Trade name/designation:

# Clean Spray 51

#### **Article No.:**

T471005

UFI:

24SW-49DF-1903-5TCX

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Cold cleaner

#### 1.3. Details of the supplier of the safety data sheet

### Supplier:

#### **KANDO Service GmbH**

Hartleitnerstraße 3 4653 Eberstalzell

Austria

**Telephone:** +43 (0) 7241 213 79

E-mail: msds@kando.eu

# 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids (Flam. Liq. 2)	H225: Highly flammable liquid and vapour.	
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
STOT-single exposure (STOT SE 3)	H336: May cause drowsiness or dizziness.	
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 2/15



# **Clean Spray 51**

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:









GHS02 Flame

**GHS07** Exclamation mark

**GHS08** Health hazard

**GHS09** Environment

Signal word: Danger

#### Hazard components for labelling:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics,

<5% n-hexane; propan-2-ol; Acetone

Hazard statements for physical hazards	
H225	Highly flammable liquid and vapour.
11223	riigiily hamiliable liquia ana vapour.

Hazard statements for health hazards		
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

Hazard statements for environmental hazards		
H411	Toxic to aquatic life with long lasting effects.	

# Supplemental hazard information: none

Precautionary statements Prevention		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	

Precautionary statements Response		
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P302 + P352	IF ON SKIN: Wash with plenty of water and soap.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P331	Do NOT induce vomiting.	

Precautionary statements Storage		
P403 + P235	Store in a well-ventilated place. Keep cool.	

Precautionary statements Disposal		
P501	Dispose of contents/container to an appropriate recycling or disposal facility.	

### **Additional information:**

The product contains: Notifiable explosives precursors. Provision, transfer, possession and use in accordance with Regulation (EU) 2019/1148, Article 9.

# 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 3/15



Clean Spray 51

# **SECTION 3: Composition/information on ingredients**

#### \* 3.2. Mixtures

#### **Description:**

Cleaning agent

#### **Additional information:**

The application of a CRF (Child-Resist Fastening) is mandatory when this product is offered on the consumer market. Please note that the CRF is part of the packaging and not of the classification. The application of a TWD (Tactile Warning of Danger) is mandatory when this product is offered on the consumer market. Please note that the TWD is part of the packaging and not of the classification.

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration	
CAS No.: 64742-49-0 EC No.: 927-510-4 Index No.: 649-328-00-1 REACH No.: 01-2119475515-33	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 2 (H225), STOT SE 3 (H336), Skin Irrit. 2 (H315)	25 - 50 %	
EC No.: 921-024-6 REACH No.: 01-2119475514-35	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].  Acute Toxicity Estimate ATE (oral) > 5,000 mg/kg ATE (dermal) > 2,920 mg/kg ATE (inhalation, gases) > 20 ppmV ATE (inhalation, vapour) > 25.2 mg/L	25 - 50 %	
CAS No.: 67-63-0 EC No.: 200-661-7 REACH No.: 01-2119457558-25	propan-2-ol The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. Acute Toxicity Estimate ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, gases) > 25 ppmV ATE (inhalation, vapour) > 20 mg/L	25 - 50 %	
	Aliphatic hydrocarbons The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	≥ 30 %	
CAS No.: 67-64-1 Index No.: 606-001-00-8 REACH No.: 01-2119471330-49	Acetone Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336)	10 - 25	

Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

## Following inhalation:

If unconscious but breathing normally, place in recovery position and seek medical advice.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact:

Rinse opened eye for several minutes under running water. Consult a doctor if symptoms persist

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 4/15



# **Clean Spray 51**

#### Following ingestion:

Do not induce vomiting, seek medical help immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media:

Water mist, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam

#### Unsuitable extinguishing media:

Water in full jet

#### 5.2. Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3. Advice for firefighters

Special protective equipment: Put on breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

#### **Personal precautions:**

Wear protective equipment. Keep unprotected persons away.

# 6.1.2. For emergency responders

No data available

# \* 6.2. Environmental precautions

Do not allow to enter drains/surface water/ground water. Prevent penetration into sewers, pits and cellars In case of spillage into water or sewage system, inform the competent authorities.

#### \* 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Do not wash away with water or agueous detergents.

#### Other information:

Provide adequate ventilation. Dispose of contaminated material as waste according to section 13.

#### 6.4. Reference to other sections

Further information on proper storage: see section 7.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Avoid aerosol formation.

#### Fire prevent measures:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels:

Store in a cool place.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 5/15



# **Clean Spray 51**

Storage class (TRGS 510, Germany): 3 - Flammable liquids

# Further information on storage conditions:

Store in a cool, dry place in well-sealed containers. Keep container tightly closed.

#### 7.3. Specific end use(s)

#### **Recommendation:**

No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	<ol> <li>Long-term occupational exposure limit value</li> <li>Short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
MAK (AT)	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS No.: 64742-49-0 EC No.: 927-510-4	<ol> <li>200 mL/m³</li> <li>400 mL/m³</li> <li>(für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von weniger als 25 %)</li> </ol>
MAK (AT)	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS No.: 64742-49-0 EC No.: 927-510-4	<ol> <li>170 mL/m³</li> <li>340 mL/m³</li> <li>(für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von 25 % oder mehr)</li> </ol>
MAK (AT)	<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	② 800 ppm (2,000 mg/m³) ⑤ (max. 4x15 min./Schicht)
MAK (AT)	<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m³)
MAK (AT)	Acetone CAS No.: 67-64-1	② 2,000 ppm (4,800 mg/m³) ⑤ (max. 4x15 min./Schicht)
IOELV (EU)	Acetone CAS No.: 67-64-1	① 500 ppm (1,210 mg/m³)
MAK (AT)	Acetone CAS No.: 67-64-1	① 500 ppm (1,200 mg/m³)

## 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Hydrocarbons, C7, n-alkanes,	2,085 mg/m <sup>3</sup>	① DNEL worker
isoalkanes, cyclics CAS No.: 64742-49-0		② Long-term – inhalation, systemic effects
EC No.: 927-510-4		
Hydrocarbons, C7, n-alkanes,	477 mg/m³	① DNEL Consumer
isoalkanes, cyclics CAS No.: 64742-49-0		② Long-term – inhalation, systemic effects
EC No.: 927-510-4		

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 6/15



# Clean Spray 51

Substance name	DNEL value	① DNEL type
		② Exposure route
Hydrocarbons, C7, n-alkanes,	300 ma/ka bw/	① DNEL worker
isoalkanes, cyclics	day	② Long-term - dermal, systemic effects
CAS No.: 64742-49-0 EC No.: 927-510-4		
Hydrocarbons, C7, n-alkanes,	140 ma/ka bw/	® DNEL Communication
isoalkanes, cyclics	day	① DNEL Consumer
CAS No.: 64742-49-0	1	② Long-term - dermal, systemic effects
EC No.: 927-510-4		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	149 mg/kg bw/ day	① DNEL Consumer
CAS No.: 64742-49-0	day	② Long-term - oral, systemic effects
EC No.: 927-510-4		
Hydrocarbons, C6-C7, n-alkanes,	2,035 mg/m <sup>3</sup>	① DNEL worker
isoalkanes, cyclics, <5% n-hexane EC No.: 921-024-6		② Long-term – inhalation, systemic effects
Hydrocarbons, C6-C7, n-alkanes,	608 mg/m³	① DNEL Consumer
isoalkanes, cyclics, <5% n-hexane	l coo mg/m	② Long-term – inhalation, systemic effects
EC No.: 921-024-6		
Hydrocarbons, C6-C7, n-alkanes,		① DNEL worker
isoalkanes, cyclics, <5% n-hexane EC No.: 921-024-6	day	② Long-term - dermal, systemic effects
Hydrocarbons, C6-C7, n-alkanes,	300 mg/kg bw/	① DNEL worker
isoalkanes, cyclics, <5% n-hexane	day	② Long-term - dermal, systemic effects
EC No.: 921-024-6		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		① DNEL Consumer
EC No.: 921-024-6	day	② Long-term - dermal, systemic effects
Hydrocarbons, C6-C7, n-alkanes,	699 mg/kg bw/	① DNEL Consumer
isoalkanes, cyclics, <5% n-hexane	day	② Long-term - oral, systemic effects
EC No.: 921-024-6	F00 ( 3	-
<b>propan-2-ol</b>   CAS No.: 67-63-0	500 mg/m <sup>3</sup>	① DNEL worker
EC No.: 200-661-7		② Long-term – inhalation, systemic effects
propan-2-ol	89 mg/m³	① DNEL Consumer
CAS No.: 67-63-0 EC No.: 200-661-7		② Long-term – inhalation, systemic effects
propan-2-ol	888 ma/ka hw/	① DNEL worker
CAS No.: 67-63-0	day	② Long-term - dermal, systemic effects
EC No.: 200-661-7		·
propan-2-ol		① DNEL Consumer
CAS No.: 67-63-0 EC No.: 200-661-7	day	② Long-term - dermal, systemic effects
propan-2-ol	26 mg/kg bw/	① DNEL Consumer
CAS No.: 67-63-0	day	② Long-term - oral, systemic effects
EC No.: 200-661-7	1 210 / 3	
Acetone CAS No.: 67-64-1	1,210 mg/m <sup>3</sup>	① DNEL worker
		② Long-term – inhalation, systemic effects
Acetone CAS No.: 67-64-1	200 mg/m <sup>3</sup>	① DNEL Consumer
CAS NO.: 07-04-1		② Long-term – inhalation, systemic effects
Acetone	2,420 mg/m <sup>3</sup>	① DNEL worker
CAS No.: 67-64-1		② Long-term – inhalation, local effects
Acetone		① DNEL worker
CAS No.: 67-64-1	day	② Long-term - dermal, systemic effects
Acetone	62 mg/kg bw/	① DNEL Consumer
CAS No.: 67-64-1	day	② Long-term - dermal, systemic effects
<b>L</b>	1	- ' '

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 7/15



# **Clean Spray 51**

[	[ ·	Τ.		
Substance name	DNEL value	① DNEL type		
		② Exposure route		
Acetone	62 mg/kg bw/	① DNEL Consumer		
CAS No.: 67-64-1	day	② Long-term - oral, systemic effects		
Substance name	PNEC Value	① PNEC type		
propan-2-ol	140.9 mg/L	① PNEC aquatic, freshwater		
CAS No.: 67-63-0		T NEC aquatic, meshwater		
EC No.: 200-661-7				
propan-2-ol	140.9 mg/L	① PNEC aquatic, marine water		
CAS No.: 67-63-0				
EC No.: 200-661-7				
propan-2-ol	2,251 mg/L	① PNEC sewage treatment plant		
CAS No.: 67-63-0				
EC No.: 200-661-7				
propan-2-ol	552 mg/kg	① PNEC sediment, freshwater		
CAS No.: 67-63-0				
EC No.: 200-661-7				
propan-2-ol	552 mg/kg	① PNEC sediment, marine water		
CAS No.: 67-63-0 EC No.: 200-661-7				
	20 70 71/157			
propan-2-ol CAS No.: 67-63-0	28 mg/kg	① PNEC soil		
EC No.: 200-661-7				
propan-2-ol	140.9 mg/L	① PNEC aquatic, intermittent release		
CAS No.: 67-63-0	140.9 mg/L	PNEC aquatic, intermittent release		
EC No.: 200-661-7				
Acetone	10.6 mg/L	① PNEC aquatic, freshwater		
CAS No.: 67-64-1		THE adducte, meshwater		
Acetone	1.06 mg/L	① PNEC aquatic, marine water		
CAS No.: 67-64-1				
Acetone	100 mg/L	① PNEC sewage treatment plant		
CAS No.: 67-64-1		S		
Acetone	30.4 mg/L	① PNEC sediment, freshwater		
CAS No.: 67-64-1				
Acetone	3.04 mg/L	① PNEC sediment, marine water		
CAS No.: 67-64-1				
Acetone	29.5 mg/kg	① PNEC soil		
CAS No.: 67-64-1				

#### 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

No further details. See section 7.

# 8.2.2. Personal protection equipment





#### **Eye/face protection:**

Safety goggles (EN-166)

#### Skin protection:

Hand protection:

Gloves / solvent resistant

Breakthrough times and swelling properties of the material must be taken into consideration.

Glove material:

The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Nov 2024 Print date: 13 Nov 2024

**Version:** 4 Page 8/15



# **Clean Spray 5I**

#### NBR (Nitrile rubber)

Recommended material thickness: ≥ 0,5 mm Permeation time (maximum wear duration):

For continuous contact we recommend gloves with a breakthrough time of at least 240 minutes, with the preference for a breakthrough time greater than 480 minutes. For short term or splash protection we recommend the same. We are aware that suitable gloves offering this protection are not available. In this case, a shorter breakthrough time is permissible, provided the procedures for maintenance and timely replacement are followed. The thickness of the gloves is not a good measure of the resistance the gloves give against a chemical substance, as this depends on the exact composition of the material of the gloves. The exact breakthrough time should be checked with the glove manufacturer and adhered to. Body protection:

Use protective suit. (EN-13034/6)

Antistatic, chemical and oil resistant clothing and safety shoes are recommended. (EN1149; EN340&EN ISO 13688 EN13034-6).

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Filter A2/P2

#### Other protection measures:

General protective and hygienic measures: Keep away from food, drink and animal feed. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin. General ventilation.

#### 8.2.3. Environmental exposure controls

Use a suitable container to prevent environmental pollution.

# SECTION 9: Physical and chemical properties

#### $^{f k}$ 9.1. Information on basic physical and chemical properties

#### **Appearance**

Physical state: Liquid Colour: colourless

Odour: characteristic flammability: No data available

## Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
Н	not applicable		② Mixture is not polar/aprotic.
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	55.8 - 56.6 °C		② Acetone
Flash point	< -18 °C		
Evaporation rate	No data available		
Auto-ignition temperature	> 200 °C		② Highly flammable
Upper/lower flammability or explosive limits	0.6 - 13 Vol-%		
Vapour pressure	246 hPa	20 °C	
Vapour density	No data available		
Density	0.72 g/cm³	20 °C	
Bulk density	not applicable		
Water solubility	Immiscible		② Not miscible or only slightly miscible.
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

#### \* 9.2. Other information

The product is not self-igniting. The product is not explosive, but the formation of explosive vapour/air mixtures is possible. formation of explosive vapour/air mixtures is possible.

Organic solvents: 100,0 %

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 9/15



# **Clean Spray 51**

Solid content: 0,0 %

#### 9.2.1. Information with regard to physical hazard classes

#### Flammable liquids:

Highly flammable liquid and vapour.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No further relevant information available.

## 10.2. Chemical stability

Thermal decomposition / Conditions to avoid: No decomposition when used as directed.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4. Conditions to avoid

No further relevant information available.

#### 10.5. Incompatible materials

No further relevant information available.

# 10.6. Hazardous decomposition products

No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS No.: 64742-49-0 EC No.: 927-510-4

**LD**<sub>50</sub> oral:  $\geq$ 5,000 mg/kg (Rat)

**LD<sub>50</sub> dermal:** >2,920 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (vapour): >23.3 mg/L 4 h (Rat)

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane** EC No.: 921-024-6

**LD<sub>50</sub> oral:** >5,000 mg/kg (Rat) OECD 401

LD<sub>50</sub> dermal: >2,920 mg/kg (Rabbit)

LC<sub>50</sub> Acute inhalation toxicity (gas): >20 ppmV 4 h (Rat) OECD 403

LC<sub>50</sub> Acute inhalation toxicity (vapour): >25.2 mg/L 4 h (Rat)

**propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

 $LD_{50}$  oral: >2,000 mg/kg (Rat)

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (gas): >25 ppmV 4 h (Rat)

LC<sub>50</sub> Acute inhalation toxicity (vapour): >20 mg/L 6 h (Rat)

**Acetone** CAS No.: 67-64-1 **LD<sub>50</sub> oral:** ≥5,000 mg/kg (Rat)

**LD<sub>50</sub> dermal:** >20 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (gas): >20 ppmV 4 h (Rat)

LC<sub>50</sub> Acute inhalation toxicity (vapour): >50 mg/L 4 h (Rat)

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): 76 mg/L 4 h (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### **Skin corrosion/irritation:**

Causes skin irritation.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 10/15



# **Clean Spray 51**

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### **Carcinogenicity:**

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity:**

Based on available data, the classification criteria are not met.

## **STOT-single exposure:**

May cause drowsiness or dizziness.

#### **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

May be fatal if swallowed and enters airways.

#### 11.2. Information on other hazards

# **Endocrine disrupting properties:**

None of the ingredients are included.

LC<sub>50</sub>: 9,714 mg/L 1 d (Daphnia magna)

**LOEC:** 1,000 mg/L (Alge)

**LOEC:** 1,000 mg/L

**EC<sub>50</sub>:** >100 mg/L (Algae/water plant, Bacteria)

EC<sub>50</sub>: >100 mg/L 2 d (crustaceans, Daphnia magna)

ErC<sub>50</sub>: >100 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus)

# **SECTION 12: Ecological information**

### \* 12.1. Toxicity

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS No.: 64742-49-0 EC No.: 927-510-4
<b>LC<sub>50</sub>:</b> >13.4 mg/L 4 d (fish)
EC <sub>50</sub> : 3 mg/L (crustaceans, Daphnia magna))
NOEC: 0.17 mg/L (Algae/water plant, Daphnia magna)
LOEC: 0.32 mg/L (Algae/water plant)
EC <sub>50</sub> : 3 mg/L 2 d (Daphnia magna)
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</b> EC No.: 921-024-6
LC <sub>50</sub> : 11.4 mg/L 4 d (fish, Oncorhynchus mykiss) OECD 203
EC <sub>50</sub> : 3 mg/L 2 d (crustaceans, Daphnia magna) OECD 202
NOEC: 0.17 mg/L 21 d (crustaceans, Daphnia magna)
LOEC: 0.32 mg/L 21 d (crustaceans, Daphnia magna)
<b>EC<sub>50</sub>:</b> 30 – 100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata)
LC <sub>50</sub> : >1 - 10 mg/L 4 d (fish, Pimephales promelas)
<b>EC<sub>50</sub>:</b> >1 - 10 mg/L 2 d (crustaceans, Daphnia magna)
NOEC: 2.045 mg/L 28 d (fish, Oncorhynchus mykiss)
NOEC: 1 mg/L 21 d (crustaceans, Daphnia magna) OECD 211
ErC <sub>50</sub> : 10 - 30 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
LOEC: 0.32 mg/L 21 d (Daphnia magna)
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7
<b>LC<sub>50</sub>:</b> >1,000 mg/L 4 d (fish)
<b>EC<sub>50</sub>:</b> >1,000 mg/L 2 d (crustaceans)
LC <sub>50</sub> : 9,640 mg/L 4 d (fish, Pimephales promelas)

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 11/15



# Clean Spray 51

Acetone CAS No.: 67-64-1

**LC<sub>50</sub>:** 8,300 mg/L 4 d

LC<sub>50</sub>: 5,540 mg/L 4 d (fish, Oncorhynchus mykiss)

LC<sub>50</sub>: 4,042 mg/L (fish)

EC<sub>50</sub>: 8,800 mg/L 2 d (crustaceans, Daphnia magna)

EC<sub>50</sub>: 8,300 mg/L (fish)

EC<sub>50</sub>: 302 mg/L 4 d (Algae/water plant)

NOEC: 2,212 mg/L (crustaceans, Daphnia pulex)

#### Aquatic toxicity:

No further relevant information available.

### 12.2. Persistence and degradability

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane EC No.: 921-024-6

**Biodegradation:** Yes, rapidly

**propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

Biodegradation: Yes, rapidly

Remark: Readily biodegradable (according to OECD criteria).

Acetone CAS No.: 67-64-1

Biodegradation: Yes, rapidly

#### **Biodegradation:**

Not readily biodegradable.

#### **Additional information:**

No further relevant information available.

#### 12.3. Bioaccumulative potential

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane EC No.: 921-024-6

Log Kow: 5.2

**Bioconcentration factor (BCF): 250** 

propan-2-ol CAS No.: 67-63-0 EC No.: 200-661-7

Log K<sub>OW</sub>: 0.05

Acetone CAS No.: 67-64-1

**Log K<sub>OW</sub>:** -0.23

Bioconcentration factor (BCF): 3

#### **Accumulation / Evaluation:**

No further relevant information available.

#### 12.4. Mobility in soil

No further relevant information available.

# 12.5. Results of PBT and vPvB assessment

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics CAS No.: 64742-49-0 EC No.: 927-510-4

Results of PBT and vPvB assessment: —

Results of PBT and vPvB assessment: -

**propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

Results of PBT and vPvB assessment: —

Acetone CAS No.: 67-64-1

Results of PBT and vPvB assessment: -

**Aliphatic hydrocarbons** 

Results of PBT and vPvB assessment: -

The product does not meet the PBT/vPvB criteria.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 12/15



# Clean Spray 51

# 12.6. Endocrine disrupting properties

The product does not contain any substances with endocrine-disrupting properties.

#### \* 12.7. Other adverse effects

Do not allow to enter drains/surface water/ground water.

Drinking water hazard even when small quantities leak into the subsoil.

Toxic to aquatic life.

Toxic to fish.

water hazard class 2: obviously hazardous to water

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Must not be disposed of together with household waste. Do not allow to enter into surface water or drains.

#### 13.1.1. Product/Packaging disposal

# Waste codes/waste designations according to EWC/AVV Directive 2008/98/EC (Waste Framework Directive)

HP 3	Flammable	
HP 4	Irritant — skin irritation and eye damage	
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP 14	Ecotoxic	

### **Waste treatment options**

#### Appropriate disposal / Package:

Uncleaned packaging: Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

•						
Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)			
14.1. UN number or ID number						
UN 1993	UN 1993	UN 1993	UN 1993			
14.2. UN proper ship	ping name					
FLAMMABLE LIQUID, N.O.S. (HEPTANES, Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics,						
<5% n-hexane)	<5% n-hexane)	<5% n-hexane)	<5% n-hexane)			
14.3. Transport haza	rd class(es)					
**		•				
3	3	3	3			
14.4. Packing group						
II	II	II	II			
14.5. Environmental hazards						
¥2>	¥.	MARINE POLLUTANT	No			
14.6. Special precau	tions for user	•				
Special Provisions: 274   601   640C	Special Provisions: 274   601   640C	Special Provisions: 274	Special Provisions:			
Limited quantity (LQ):	Limited quantity (LQ):	Limited quantity (LQ):	Limited quantity (LQ): Y341			
Excepted Quantities (EQ): E2	Excepted Quantities (EQ):	Excepted Quantities (EQ):	Excepted Quantities (EQ):			

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 13/15



# Clean Spray 51

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
Hazard identification number (Kemler No.): 33  Classification code: not determined  Tunnel restriction code: (D/E)  Remark: Caution: Flammable liquid substances! Maximum net quantity Inner packaging 30ml Maximum net quantity Outer packaging 500ml	Classification code: not determined Remark: Caution: Flammable liquid substances!	EmS-No.: F-E, S-E Remark: Caution: Flammable liquid substances! Congestion category B Maximum net quantity Inner packaging 30ml Maximum net quantity Outer packaging 500ml	Remark: Caution: Flammable liquid substances!

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

# **SECTION 15: Regulatory information**

# \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

#### **Authorisations:**

Directive 2012/18/EU

Named dangerous substances - ANNEX I: None of the ingredients are included.

#### Restrictions on use:

Seveso category: E2 Hazardous to the aquatic environment

P5c FLAMMABLE LIQUIDS

Quantity threshold (in tons) for use in lower class farms: 200t

Quantity threshold (in tons) for use in upper-tier establishments: 500t Regulation (EC) No 1907/2006 ANNEX XVII: Restriction conditions: 3

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II: None of the ingredients are included.

Regulation (EU) 2019/1148

Annex I - RESTRICTED EXPORT SUBSTANCES FOR EXPLOSIVES (upper concentration limit for a permit pursuant to Article 5(3)): None of the ingredients are included.

Annex II - EXPLOSIVES REPORTABLE FOR EXPLOSIVES: acetone

Regulation (EC) No 273/2004 on drug precursors: Acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade in drug precursors between the Community and third countries: Acetone

## Other regulations (EU):

Hazard categories:

- P5c Flammable liquids of Categories 2 or 3, not covered by P5a and P5b
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances:

• Liquefied flammable gases, Category 1 or 2 (including liquefied petroleum gas) and natural gas

#### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 720 g/L

#### 15.1.2. National regulations

No data available

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 14/15



**Clean Spray 51** 

# **SECTION 16: Other information**

# \* 16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
6.2.	Environmental precautions
6.3.	Methods and material for containment and cleaning up
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
9.2.	Other information
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.7.	Other adverse effects
14.3.	Transport hazard class(es)
14.6.	Special precautions for user
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes

## 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

DNEL derived no-effect level

EC<sub>50</sub> Effective Concentration 50%

EN European Standard ES Exposure scenario

EWC European Waste Catalogue

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

KG body weight

LC<sub>50</sub> Lethal (fatal) Concentration 50%

LD<sub>50</sub> Lethal (fatal) Dose 50%

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NOEC No Observed Effect Concentration

OECD Organisation for Economic Cooperation and Development

OEL Threshold Limit Value

OSHA Occupational Safety & Health Administration PBT persistent and bioaccumulative and toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

VOC Volatile organic compounds ZNS central nervous system

### 16.3. Key literature references and sources for data

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Nov 2024 **Print date:** 13 Nov 2024

**Version:** 4 Page 15/15



# Clean Spray 51

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids (Flam. Liq. 2)	H225: Highly flammable liquid and vapour.	
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
STOT-single exposure (STOT SE 3)	H336: May cause drowsiness or dizziness.	
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	

# 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements		
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	

Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.

# 16.6. Training advice

No data available

## 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

* [	)ata	changed	l compared	with	the	previous	version	
-----	------	---------	------------	------	-----	----------	---------	--